

AMERICAN  
*Cinematographer*  
★ THE MOTION PICTURE CAMERA MAGAZINE ★

LEONARD CLAIRMONT

25¢  
FOREIGN 35c




In This Issue . . . . .  
ORTHICON PICKUP TUBE  
FOR TELEVISION CAMERAS



JANUARY  
1946





## FINAL EXAM . . .

THE SLIT rolls of Du Pont Motion Picture Film have now been perforated by precision machines whose dies and punches are accurate to an unbelievable degree, insuring smooth operation through camera or projector, and steady images on the screen.

Next, as pictured, every foot of every roll of Du Pont Motion Picture negative, positive and the recording stocks is given a keen-eyed visual inspection.

This "final exam" takes place in air-conditioned rooms where the

only illumination is that reflected on the film from safelights designed for this purpose.

Although control tests are conducted in Du Pont laboratories throughout the manufacture of Du Pont Motion Picture Film, this final inspection is still another means of providing a product of uniform dependability at all times.

E. I. du Pont de Nemours & Co. (Inc.), Photo Products Department, Wilmington 98, Delaware.


*In New York:* Empire State Building  
*In Hollywood:* Smith & Aller, Ltd.

# DU PONT MOTION PICTURE FILM

BETTER THINGS FOR BETTER LIVING  
... THROUGH CHEMISTRY


### 8 quick reasons why leading cinematographers approve this film

1. Retention of latent image
2. Extreme wide latitude
3. Color balance
4. Fine grain
5. Speed
6. Contrast
7. Excellent flesh tones
8. Uniformity





Bell & Howell  
Eyemo Models  
"N" and "O"



# EYEMO

THE

*Personal Camera*

## TAILOR-MADE FOR YOUR SPECIFIC NEEDS!

Name the job, and you'll find a Bell & Howell Eyemo to do it!

Choose from seven standard Eyemo models the 35mm. camera that will meet your individual need. B&H correlated accessories, too, completely "tailor" your Eyemo for every specific job.

Back again, after four years of combat service which have proved anew its superior qualities, Eyemo excels wherever pictures of theater quality are demanded.

In all models a sturdy spring motor insures uniform running of 55 feet of film for each winding. Precise speed control permits later addition of sound. Unique "grip" construction makes steady hand-holding easy. Standard controls are outside, fully visible, and easily operated.

OPTI-ONICS—products combining the  
sciences of OPTics • electrONics • mechanICS

Precision-built, proved the world around under every possible condition of weather, war, and peace, Eyemos guarantee that *what you see, you get.*

For complete information on all Eyemo models and accessories, send the coupon. Bell & Howell Company, Chicago; New York; Hollywood; Washington, D. C.; London.

BELL & HOWELL COMPANY  
7148 McCormick Road, Chicago 45

Please send information on B&H Eyemo Cameras and correlated accessories.

Name.....

Address.....

City.....State.....AC 1-46

PRECISION-MADE BY



# Bell & Howell

SINCE 1907 THE LARGEST MANUFACTURER OF PRECISION EQUIPMENT FOR MOTION PICTURE STUDIOS OF HOLLYWOOD AND THE WORLD



# AMERICAN CINEMATOGRAPHER


THE MOTION PICTURE CAMERA MAGAZINE

VOL. 27

JANUARY, 1946


NO. 1

## CONTENTS



Orthicon Pickup Tube for Television Cameras.....	6
Pointers on Use New Ansco 16 mm. Color Film.....	7
Automatic Follow Focus Devices for Use in Cinematography, By JAMES T. STROHM and WILLIAM G. HECKLER	8
Aces of the Camera (Peeverell Marley, A.S.C.)....By HILDA BLACK	10
Sixteen Goes Hollywood.....By RAY FERNSTROM, A.S.C.	12
Review of the Film News.....	14
No Cherry Blossoms in a Factory.....By WALTER WISE	16
Among the Movie Clubs.....	20
Fitting Film to Music.....By HAROLD RAWLINSON	23
Using Your Movie Camera as a Motion Picture Step Printer, By JAMES R. OSWALD	24
Current Assignments of A.S.C. Members.....	28

ON THE FRONT COVER is a photograph on the set of Monogram's production, "Suspense"; with Director Frank Tuttle and Director of Photography Karl Struss (in center) checking closeup of Belita and Barry Sullivan before the cameras roll. Photo by Clifton Kling.



### OFFICERS AND BOARD OF GOVERNORS AMERICAN SOCIETY OF CINEMATOGRAPHERS

Leonard Smith, President	Fred Jackman, Exec. V.-Pres. and Treas.	
Charles Clarke, First Vice-President	Joseph Walker, Second Vice-President	
Arthur Edeson, Third Vice-President	Ray Rennahan, Secretary	
George Folsey, Sergeant-at-Arms		
John Arnold	Byron Haskin	John Seitz
John Boyle	Sol Polito	Leon Shamroy
Lee Garmes		William Skall

## The Staff



### EDITOR

Walter R. Greene



### TECHNICAL EDITOR

Emery Huse, A.S.C.



### ASSOCIATE EDITOR

Edward Pyle, Jr.



### MILITARY ADVISOR

Col. Nathan Levinson



### STAFF PHOTOGRAPHER

Mel Traxel



### ARTIST

Glenn R. Kershner, A.S.C.



### CIRCULATION AND ADVERTISING

Marguerite Duerr



### ADVISORY EDITORIAL BOARD

Fred W. Jackman, A. S. C.

Victor Milner, A. S. C.

Alvin Wyckoff, A.S.C.

Farciot Edouart, A. S. C.

Fred Gage, A. S. C.

Dr. J. S. Watson, A. S. C.

Dr. L. A. Jones, A. S. C.

Dr. C. E. K. Mees, A. S. C.

Dr. W. B. Rayton, A. S. C.

Dr. V. B. Sease, A. S. C.



### AUSTRALIAN REPRESENTATIVE

McGill's, 179 Elizabeth Street, Melbourne,  
Australian and New Zealand Agents



Published monthly by A. S. C. Agency, Inc.

Editorial and business offices:

1782 North Orange Drive

Hollywood (Los Angeles, 28), California

Telephone: GRanite 2135




Established 1920. Advertising rates on application. Subscriptions: United States and Pan-American Union, \$2.50 per year; Canada, \$2.75 per year; Foreign, \$3.50. Single copies, 25c; back numbers, 30c; foreign, single copies 35c; back numbers 40c. Copyright 1945 by A. S. C. Agency, Inc.



Entered as second-class matter Nov. 18, 1937, at the postoffice at Los Angeles, California, under the act of March 3, 1879.



# 72 hours



Color Correct—16MM prints in 72 hours.

Fast! Yes—but delivery guaranteed.

Full fidelity of sound and definition  
often exceeding the original.

For superior work—*ahead of time*—  
“Byron-ize” your prints.


## Byron

*the most complete 16 MM sound studio in the east*

Studio: 1712 Connecticut Ave., N.W. Phone Dupont 1800

Washington 9, D.C.





RCA Television camera equipped with new Image Orthicon pickup tube of extreme sensitivity. The Orthicon catches action under dim lighting conditions—in this case only a match—and accentuates signal's lighting qualities for transmission to any degree of increased brilliance.

# Orthicon Pickup Tube for Television Cameras

A NEW television camera tube of revolutionary design and sensitivity emerged from wartime secrecy for exhibition by Radio Corporation of America in a series of studio and remote pickups in which it not only transmitted scenes illuminated by candle and match light but performed the amazing feat of picking up scenes with infra-red rays in a blacked-out room.

The new tube, known as the RCA Image Orthicon, was demonstrated recently in a studio of the National Broadcasting Company, Radio City, with the cooperation of NBC's engineering and production staff. In the exhibition, members of the audience saw themselves televised under lighting condition to

demonstrate the super sensitivity of the new electronic "eye" which can solve many of the major difficulties of illumination in television programming and makes possible 'round-the-clock television coverage of news and special events.

Further evidence of the tube's extreme sensitivity came in the transmission of scenes from a special rodeo show arranged at Madison Square Garden for the visiting United States Navy Fleet. Cowboy acts were picked up by the Image Orthicon and transmitter to the studio in a comparative demonstration displaying its advantage over conventional television pickup tubes in providing greater depth of perception and

clearer views under shifting light conditions.


RCA-NBC engineers climaxed the demonstration by blacking out the studio where the writers were assembled, and providing the spectacle of picking up television scenes in apparent darkness. Unseen infra-red (black) lights were turned on, but it was so dark that a member of the audience could not see the person next to him. Then on the screens of television receivers in the studio appeared bright images of a dancer and other persons who were in the room. The Image Orthicon tube, it was explained, achieved the feat through its sensitivity to the infra-red rays.

## Aladdin's Lamp of Television

"This is the Aladdin's Lamp of Television," declared John F. Royal, NBC Vice-President in charge of television. "It's revolutionary effect on lighting problems means that many of our major difficulties of illumination will be eliminated.

"This new instrument which is easily portable and suitable for use in every field of television opens new vistas that challenge the imagination. It assures television of 24 hour coverage, in daylight, twilight, or moonlight—in good weather and in bad.

Declaring the Image Orthicon to be 100 times more sensitive than conventional pick-up tubes, E. W. Engstrom, Research Director of RCA Laboratories, explained details of the development of the tube. He said that early models were built before the war in efforts of RCA television scientists and engineers to improve the quality of television transmission. When war came, the armed forces found urgent need for television applications, and throughout the



Compactness of the Orthicon tube is shown with length of 16 inches and diameter of two inches—not any larger than a tubular flashlight. Orthicon tube will allow for manufacture of a smaller, lightweight and more portable television camera.



conflict RCA research and development continued at an accelerated pace in response to military requirements. Many advances were made.

The Image Orthicon tube, for example, Mr. Engstrom said, emerged in its present form much sooner than would normally have been the case. A military secret until now, it can be revealed that it makes use of the most advanced results of more than twenty years of research not only in television pick-up tubes but in electron optics, photo-emission processes, electron multipliers, and special materials.

Announcing incorporation of the Image Orthicon in a new super-sensitive television camera to be manufactured by RCA Victor, Meade Brunet, General manager of the Company's Engineering Products Division, said that deliveries on the camera are expected to be made to television broadcasters in about six months.

"This equipment is especially well suited for televising events remote from the studio and those where brilliant lighting is either impracticable or undesirable," said Mr. Brunet. "The portable camera is lightweight, simple to operate, and can be quickly set up and placed in operation. It is particularly adaptable for use in televising out-of-door sports and news events and for remote indoor pick-ups such as in theaters, concert halls, schools, churches, courtrooms, and other public buildings."

#### Advantages in Performance

RCA engineers listed these specific advantages in performance of the Image Orthicon:

1. Ability to extend the range of operations to practically all scenes of visual interest, particularly those under low-lighting conditions.
2. Improved sensitivity, permitting greater depth of field and inclusion of background that might otherwise be blurred.
3. Improved stability which protects

(Continued on Page 27)

## Pointers on Use New Ansco 16mm. Color Film

ANSCO's 16 mm. color film became available generally throughout the United States during the past few weeks, with company announcement disclosing that production of the film permits distribution on virtually unrestricted basis to dealers. Limited quantities of the new 16 mm. reversible color stock were distributed in eastern states last year, and the broadened availability results from lessened demands for the film by the armed forces.

For the time being, only 100 foot lengths of the daylight type film will be available, Ansco discloses, but within a few months other length rolls and the tungsten type film will be on the market. Processing charges are included in the purchase price of the 16 mm. color film, and exposed rolls have to be sent to Ansco main color laboratory in Binghamton, New York for such development, until processing labs are established at convenient points and it is expected that processing will be available on the Pacific Coast shortly after Feb. 1, 1946. Company also announces that duplicating service whereby extra prints can be struck off, will also be available.

#### Ansco's Information on Use

Despite that fact that 16 mm. Ansco color reversible film has a long scale of gradation and wide exposure latitude, it is important that correct exposure be given if best results are expected. Folder supplied with each roll of film will aid in determining correct exposure of the film, either by use of the exposure charts provided or when using a photo-cell type exposure meter. As a general rule, it is advisable to never use a smaller lens opening than f/11 when out-of-door exposures are made at 16 frames per second, regardless of how small a lens opening is indicated by the exposure meter; for experience has proven that even the lightest subjects under brightest sunlight conditions are underexposed

at lens openings smaller than f/11. Unless great care is used in interpreting the reading of even the finest photo-cell type exposure meters inaccuracies may, and often do, result. According to Ansco the printed chart in folder provides with each roll has been found to produce consistent results under the condition given.

This chart discloses that—at normal shutter speed of 16 frames per second with the Daylight type film—best results will be secured as follows:

	Front Lighted	Side Lighted
Bright Sunlight.....	f.8	f5.6
Hazy Sunlight.....	f5.6	—
Soft Shadows		
Sun Overcast.....	f.4	—
No Shadow		
Bright Day		
Sun Overcast.....	f2.8	—
Dull Day		

The above table is for use under average summer conditions in the temperate zones, from two hours after sunrise until two hours before sunset.

In winter, use next larger opening (one full stop) rather than that given in the table, provided there is no snow.

With exceptionally brilliant light, as in seascapes, snowscapes or at high altitudes, the indicated exposure may be halved.

The exposures in the table are for medium subjects. Dark subjects require one-half stop greater exposure, while light subjects should be given one-half stop less exposure.

For best results, Ansco recommends the exposure of the daylight type color film only in direct sunlight. Products is balanced for use without filters under the normal and recommended conditions.


#### Hand Tests Possible

In a recent series of tests by Ansco technicians, it has been determined that short strips of 16 mm. Ansco color reversible film can be processed in a beaker or film tank to give an indication of correct exposure. It was observed that the density and color quality of the test strips processed by hand differed but slightly from that of film processed in the Ansco color laboratory. The practice of developing short strips of film to check exposure may prove advantageous at times if the individual realizes that similarly exposed film processed by Ansco may be slightly different in density and color quality from the home processed tests.

#### Procedure Where Duplicates Wanted

The 16 mm. Ansco color reversible film exposed with intention of having duplicates made on Ansco color film should be softly lighted so as to avoid extreme contrast because all duplicates exhibit somewhat higher contrast than the originals from which they are made. Films which have large, dark shadow areas and extremely light, or even clear highlights are seldom satisfactory when duplicated because these extreme conditions are even more pronounced and annoying in the duplicate film.

RCA IMAGE ORTHICON TUBE



#### HERE'S WHAT HAPPENS IN RCA'S NEW "IMAGE ORTHICON" PICK-UP TUBE

This simplified functional drawing of the new RCA Image Orthicon, an ultra-sensitive television camera pick-up tube, shows how the tube's response to the light of a single candle, or even a match, is built up to provide a signal which can reproduce images on home receiver screens. A light image from the subject (arrow at extreme left) is picked up by the camera lens and focused on the light-sensitive face of the tube, releasing electrons from each of thousands of tiny cells in proportion to the intensity of the light striking it. These electrons are directed on parallel courses from the back of the tube-face to the target, from which each striking electron liberates several more, leaving a pattern of proportionate positive charges on the front of the target. When the back of the target is scanned by the beam from the electron gun in the base of the tube, enough electrons are deposited at each point to neutralize the positive charges, the rest of the beam returning, as indicated, to a series of "electron multiplier" stages or dynodes surrounding the electron gun. After the returning "signal" beam has been multiplied many times, the signal is carried out of the tube to the television broadcast transmitter.



# Automatic Follow-Focus Devices For Use In Cinematography

By JAMES T. STROHM and WILLIAM G. HECKLER

(Captains, Signal Corps, Camera Branch, Signal Corps Photographic Center, Long Island City, N. Y.)

IN THE course of producing training films at the Signal Corps Photographic Center, Long Island City, New York, it was soon realized by the cinematographers attached to the Camera Branch that, in many instances, the type of photography required for training films, orientation films, morale films, etc., was somewhat different than the photography required for the production of entertainment films as normally produced in the major Hollywood studios. At the outset the production cameramen and special effects cameramen soon found that a great percentage of the Signal Corps productions required numerous shots of maps, diagrams, mock-up models, inserts, miniatures, etc. In so many shots of this type it was necessary to open the scene with a full shot of a map, diagram, or model, and then move the camera in to a specific point in

order to call attention to it or emphasize it. The reverse of this procedure was also often the case, where it was necessary to open the shot at a specific point and then move the camera back in order to encompass the entire object.

Many difficulties were encountered in an effort to photograph such shots with the required degree of accuracy. First of all, the Camera Branch was hampered by having only a few highly trained and competent camera operators capable of operating the camera in these extremely difficult shots and also only a few assistant cameramen who had had enough experience in changing focus on lenses accurately. The procedure of accurately changing focus on a photographic lens while the camera is in motion is extremely difficult and requires a great deal of instruction and constant practice. It was found that inexpe-

rienced camera operators were never sure if the object being photographed was in sharp focus through the entire length of the scene, and it was always necessary to rephotograph the scene several times with the hope that one of the "takes" would be in sharp focus.

Difficulties were also experienced with camera dolly "weave" and vibrations, resulting from the human element introduced in starting and stopping the dolly and variations in the dolly tracks. For the same reason, acceleration surges were seldom absent. Also, accurate synchronization of in-and-out movements with up-and-down movements of the camera was seldom realized.

It soon became apparent that it would be advantageous to construct some sort of device which would eliminate the human element not only in moving the dolly but also automatically changing the focus of the photographing lens during the periods when the camera was in horizontal movement. Research work was begun to accomplish this end and resulted in the development of the present all-electric and fully automatic camera dolly which is used at the present time by the Camera Branch at the Signal Corps Photographic Center.

The fully automatic electric dolly is an adaptation of a standard Raby camera dolly. (See Fig. 1). The two standard rubber wheels are retained on the left side, while the standard rubber wheels on the right side have been replaced with two bronze wheels which have had a V-shape groove cut into their riding surfaces. Round  $\frac{1}{2}$  in. tubings which are countersunk into a wooden base act as a straight-line guide for these wheels. Troublesome weave and vibrations are completely eliminated by this new combination of dolly guide wheels and track tubing. The track joints themselves are carefully butted together, eliminating the usual track irregularities.




Fig. 1. Automatic dolly.

Presented at Spring, 1945, Technical Conference of Society of Motion Picture Engineers, and published in October, 1945, issue of SMPE Journal. Reprinted here with special permission of the SMPE.






Fig. 2. Dolly cam and gear assembly.

The power unit which motivates the dolly consists of a  $\frac{1}{4}$  h.p., 110 v d-c motor which has a top speed of 1725 rpm. The shaft of the motor is connected to the speed reducer box by means of a rubber coupling that takes up all motor vibrations as well as start and stop jars. The speed of the d-c motor is reduced 50 times by the reducer box, and a sprocket gear pulley from it engages the sprocket chain which in turn rotates the dolly axle and bronze power wheel. A rheostat governs the speed control, while standard reversing switches determine direction.

Essentially, the same type of power unit has also been installed on the dolly and is applied to the dolly tilt arm so that it may be raised or lowered with ease even when the dolly is in motion. To the rear of the unit a seat for the dolly operator is provided, together with a control panel which contains switches and controls that govern the speed and movement of both the dolly and the

tilt arm. The control panel also contains dials which show any given position of the dolly and the tilt arm. Once the dolly operator knows the conditions of the shot, he can duplicate these conditions any number of times without fear of error, for any error that he might make would be plainly indicated on the control panel after the shot was completed. Also, additional switches make it possible for the operator to control the entire series of movements by the throwing of a master switch.

The most important mechanism installed on the dolly, however, is the automatic follow-focus device. As stated above, this device was developed and installed because of the great need for accurate and positive focus, particularly on close follow shots where the narrow

depth of field characteristic of photographic lenses as they closely approach a given target demands extremely accurate focusing. This need was of particular importance in special effects work where follow shots are concerned mainly with extremely accurate framing and the extreme proximity of the lens to the object or target. Such examples can be cited as the need to move from a close-up of an individual to his mouth or eyes, or in some cases, to one eye. Another common case could be cited such as moving up to or away from small sections of maps or titles.

Although this device could be used in many instances in standard set procedure, no intent was made to displace current production methods and it was conceived only for those highly difficult follow shots which are almost impossible to accomplish when the cameraman must depend upon the judgment of the operator or assistant to focus the lens by hand. The automatic focusing of the photographing lens is accomplished in the following manner.

The focus unit receives its activation from the right front dolly wheel. (See Fig. 2). It transfers this energy to a cam, which has a contour pitch, complementary to the curvilinear action of a two inch lens or of the particular focal length lens desired. This action is applied to a small gear on the end of the shaft of a Selsyn generator motor. The rotation of this motor is transmitted to and received by a Selsyn receiving motor. A small gear, same size as on the generator, is mounted on the end of the receiving motor shaft. This activates a pinion gear, which turns the actual lens gear itself. (See Fig. 3).

There is a distinct advantage in using electrically connected Selsyn or inter-

(Continued on Page 22)




Fig. 3. Dolly lens gear assembly.




Fig. 4. Title and insert stand.





# ACES of the CAMERA

## PEVERELL MARLEY, A.S.C.

By HILDA BLACK

**W**HEN Pev Marley was graduated from high school he found himself face-to-face with a crisis in his life: should he enter Stanford as his parents had always planned, or should he get a job instead. It was no ordinary matter to decide, and wanting their son to enter Stanford was no idle whim on the part of his parents. Leland Stanford had been their friend, and from the day of Pev's birth, it was naturally taken for

granted that when the boy became of university age, he would enter Stanford. There had never been any question about it.

Which would have been fine, except that when young Marley reached that age, he couldn't make up his mind what he wanted to do about his future. Definitely, he didn't want to become a doctor or a lawyer, and the only reason he could find for going to college was to

have fun—football, track, fraternity activities—things like that. Such a program didn't seem to be sufficient excuse for putting in four years' time, figured the sensible lad. And so he decided to get some kind of a job during summer vacation and think the matter over.

By a lucky break, the job he landed was in the motion picture business as assistant to Al Wykoff, Cecil deMille's cameraman. All that summer Pev worked hard, as did all aspiring cameramen in those days. Today, for the same amount of work, four men—instead of one—would probably be hired. With practically no help. Pev's chores included: packing, unpacking and transporting 22 cases of camera equipment; setting up three cameras; loading the film in the morning and canning it at night; holding the slate; keeping a record of the footage. On location he had to take the cameras apart and put them together again; and always there was the little book in which he kept a detailed report of how far what actor was from what camera in a certain scene and what type of lens had been used. Those were questions that were sure to come up, and they had to be answered correctly. When a man worked for deMille, he had to be on his toes every minute. The director would not tolerate careless or disinterested employees.

In addition to everything else, Marley kept a little notebook of his own, and he still has it, to this day. It is his personal record of what he terms "deMille witicisms." He thought many of the director's remarks too good to be lost.

That summer's work convinced Pev Marley that he liked the motion picture business. And when schooltime rolled around again, he made his decision: instead of going to school and getting an academic education, he would get a practical one. And where, he asked himself, could he get a better understanding of the motion picture industry than with C. B. deMille, the king of them all. Pev says now that he has never regretted his choice, even though, at the time, it did cause near-havoc in his family.

Everybody worked hard in the picture business in those days, and many of the men who are now tops in the profession, started just as Pev did—carrying equipment, taking cameras apart, and putting them together again—and the dozen and one other odd jobs they are called upon to do. It was tough, but it was one certain way to the top. You learned the hard way.

Pev got the benefit of the finest training in the business, for the deMille epics were all made on the grand scale. Marley worked on such gigantic productions as "The King of Kings," (which later opened Grauman's Chinese Theater), "The Ten Commandments," "The Volga Boatman" (it opened the Carthay Circle), "Feet of Clay," and "Dynamite" among others.

Perhaps it was his youth, eagerness, ambition and his great respect for the

(Continued on Page 31)



# 1946

*and always — — —*

EXPECT CONTINUANCE

OF

THE BEST

in all

EASTMAN FILMS

and ditto in

BRULATOUR SERVICE

J. E. BRULATOUR, Inc.



# SIXTEEN GOES HOLLYWOOD

By RAY FERNSTROM, A. S. C.

**B**EFORE the war, both Technicolor and Cinecolor were blowing up sixteen to thirty-five with results that reached general theatrical distribution. None were features until Army, Navy and Marine Corps films arrived. Then sixteen grew up. Now it is quite possible that the future will see entire features shot in sixteen for blowup. Several professional cameras are nearly ready for such productions. Due to the enlargement factor necessary, many new features will be added or included in these machines. Amateur color can be enlarged but this is only another example of where only the professional cinematographer and the tools of his art can deliver the quality results demanded by major producers.

Just the other day I viewed the Mitchell Sixteen, a professional's camera which is a midget Mitchell NC. All the detail of the bigger model is incorporated in this lighter sixteen. A new tripod, equally as rigid as its older brother looks and acts professional. For the last ten years I've used every conceivable model sixteen camera, both in and out of the Army; those made here and abroad. Now at long last we are beginning to get the type of equipment we, the professionals, need before we can consistently deliver

the same color quality photography we are able to do in thirty-five.

Both the Mitchell Sixteen and the new Maurer, (which I haven't seen) promise the necessary accessories we require. I for one, need a matte box and sunshade with several filter and pola screen holders. Otherwise it is impossible to control overall exposure on a monopack type film. I use graduated neutral density filters to hold back hot skies. Often a pola screen at the same time to darken the sky and accentuate cloud effects. At the same time Harrison color correcting filters need a holder. The place to correct for color of light is in the camera at time of shooting. This is simplified with the Harrison Color and Kelvin Meter in addition to a good exposure meter. I use a GE because I can read through graduates and pola screens ("2") and thus balance exposures overall for the scene.

Furthermore, I like a glass (coated preferably) out in front on which I can dab transparent color to heighten effects where there is no actual color in the scheme. To use so many pieces of optical glass before a lens I have all lens and filter elements coated here in Hollywood by ACCRA Instruments. They do a good job of balancing their coating for color,

using a brown tone on one side which is neutralized by blue on the other. After coating surfaces of lenses and filters I suggest that tests be made to compensate your meter to the new speed of your lenses and filter transmission.

The Mitchell Sixteen will have a professional matte box with standard thirty-five lenses and mounts. Follow focus and blimping will be the same simple routine as with thirty-five Mitchells, except for the adaptors.

With improved equipment, film, and processes, sixteen will take over a great deal of thirty-five's heavy load of color production both in sixteen distribution and in thirty-five blowups, especially on foreign and domestic type pictures that will carry crews and equipment to the far corners of the globe.

Quite a number of sixteen film features have been made and released through sixteen distributing channels and many more are on the way. Several were shot by A.S.C. members which more than anything else proves that sixteen is really "going Hollywood." As more and more A.S.C. men add their professional touches to sixteen the results will dignify the sixteen productions now planned. After all, what difference does the size of film make to a professional photographer of either stills or motion pictures? Sixteen needs A.S.C. men more than workers in any other category.

This is even more apparent when such originals are used in enlargement to thirty-five Technicolor or other processes. The original must be considered as our negative and never viewed as a print. A good original never should look good if screened. Only the dupes or blowup negatives or copies should have the "look" of original Kodachrome or Ansco. To get the necessary result is a matter of tests and more tests, carrying the job through to the print and then screening that. On a recent feature at Monogram, a 5-reel fashion film, I shot all scenes with three different exposures. One for color cutting, one for sixteen dupes and one for Technicolor enlargement to negatives and prints by IB. From this experience I used the resultant blowup technique in shooting Howard Hill shorts at Warners for Technicolor prints in thirty-five.

On these shorts I use the Professional 0.1 Camera that was built by Bell & Howell before the war. It is a professional instrument in all details, but they only built this one camera. It is owned and was developed to its present stage by Harry McMahan of United States Motion Pictures. He and I shoot "Hollywood Mini-Tours" for blowup to Cinecolor with it. These films are released nationally.

Last week I finished three feature-length sixteen pictures in Kodachrome

(Continued on Page 26)



Ray Fernstrom, A.S.C. with the new "Mitchell 16" camera.




# Controlled Light for BLACK and WHITE and Color Photography

COLOR photography is the thing, but if it's to be color you must be able to control your light, and you will need Bardwell & McAlister Lighting Equipment for good work.

Bardwell & McAlister Lighting Equipment was originally designed for color as well as black and white. For over fifteen years, our engineers in consultation with the ace cameramen of Hollywood, have developed a complete line of spots and accessories which meet every requirement


of the motion picture industry. It is characteristic of all Bardwell & McAlister lights that they are cool, noiseless and optically correct.

Fresnel type lenses on all Bardwell & McAlister spots permit full illumination with a smooth field which can be controlled for all requirements. Bardwell & McAlister lights are the accepted standard for excellence throughout the motion picture industry. Place your orders now for early delivery. No priorities required.




**The Baby Keg-Lite**  
500 or 750 Watt Spot


THE BABY KEG-LITE (shown above) is a lightweight 500 or 750 Watt spot for use as a key light, and for special lighting jobs. Sturdily built, the design assures low temperatures, uniform heat expansion and elimination of heat noises. All light ranges between a 4 degree spot and 44 degree flood, controlled by a small lever from front or back. Fresnel type lens gives maximum light pick-up. Stand extends from 4'2" to 8'6". Total weight 25 pounds.



THE FOCO SPOT is for use with the Baby Keg-Lite and gives a concentrated spot of light with sharp edges in either round or rectangular forms. Revolving disc projects circles ranging from 3 3/4" to 8'6" in diameter. Novel background effects may be obtained with painted slides.




**The Junior Spot**  
1000-2000 Watts




**Single Broad**  
500 to 750 Watts


• *Write* for literature describing the Baby Keg-Lite, The Dinky-Inkie, The Junior Spot (1000-2000 Watts), the Senior Spot (5000 Watts), the Single and Double Broads, and their accessories as shown in the accompanying illustrations. Bardwell & McAlister lighting equipment has a complete line of Snoots, Diffusers, Barn Doors and other accessories for controlling light at all angles and under all conditions. Address Dept. 24 - 16.



**The Double Broad**  
2000 Watts



**The Senior Spot**  
5000 Watts



**The Dinky-Inkie**  
100 to 150 Watt Spot

## BARDWELL & McALISTER, INC.

Designers and Manufacturers

BOX 1310, HOLLYWOOD 28, CALIFORNIA





# REVIEW OF THE FILM NEWS

**M**OST important news of the past month was the formation of United World Pictures by International (Leo Spitz and William Goetz), Universal, and British film tycoon J. Arthur Rank. Deal has potentialities of lifting Universal to position among the top major companies of the business; and—at this point—looks like a long-range association of the three participants for very interesting future expansion and progress.

Stripping the formal announcement of the formation to essential facts: United World Pictures will tie in closely with Rank's present and future theatre interests in Great Britain, Canada, Australia, France, India, and other countries to give substantial bookings of company releases on a world-wide scale. If eventually necessary to insure playdates and proper showcasing of product in the United States, theatres in key cities may likely be either acquired or constructed. But, from Universal's record of the past five years, and International's healthy key runs generally since its formation two years ago, there seems little need of American theatre tieups to insure outlet of future productions.

Spitz-Goetz' International Pictures, Inc., which has been producing four top features annually for RKO release, becomes inactive; and new International Pictures Corp. is being formed to carry on, with joint ownership of Spitz-Goetz and Universal. New International will produce minimum of eight productions annually; while Rank's British producing units will also contribute the same number of pictures for world release. Added product goes through Universal exchanges in the United States and most of the foreign countries.

## Eventual Universal Control?

Although it was definitely stated that at this time there would be no sale of any stock interest in Universal to either Rank or Spitz-Goetz, some trade observers figure that such a move might eventuate in the near or distant future. Rank already holds a 25% interest in Universal through acquisition of General Film Distributors of England. Latter originally participated in the original financing setup which bought Universal from the late Carl Laemmle, sr., for around \$8,000,000 in 1936. If, as might be possible, other financial interests holding large blocks of Universal stock might sell in the next year or so, there is no question but what Spitz-Goetz would pick up such offerings to combine with Rank for operating control of the company.

## Universal's First Combo

It is interesting to note that this is the first time that Universal has par-

ticipated in an amalgamation of any sort in its long and colorful career. Originally launched by Laemmle around 1910, it kept independent through a 35 year career for two records—(1) the oldest continuing company, and (2) never an amalgamation despite the tough going at many points. But the present association with Goetz-Spitz and Rank has many advantages for old U; bringing in plenty of executive and production manpower, talent, strong theatre affiliations world-wide, and top box office talent in the star, director, producer and writer fields. That's why these acquisitions carry potentialities of lifting the Universal structure up among Metro-Goldwyn-Mayer, Paramount, Warners and 20th Century-Fox, within a reasonable time.

## Watch Goetz

Although, on the surface, it would appear that Rank, with his global theatre holdings and financial control of British film producing units, would be the major factor in the United World setup, the key executive appears to be Goetz. The latter has made solid progress in the past 12 years; generating loyalty and enthusiasm of talent and production personnel so necessary for the successful production of motion pictures. Besides his personal abilities, Goetz has the sage advice and counsel of Louis B. Mayer, which cannot be discounted. When it is recalled that Mayer took two unprofitable studios—Metro and Goldwyn—and quickly welded together the greatest producing organization of the industry; his guidance of Goetz' activities is invaluable in numerous ways.

## Television Progress

The more plans for general television broadcasts develop, the closer the new medium veers away from the radio industry into closest contact with motion pictures. Utilization of motion pictures for general television broadcasts rather than live action, seems to be growing in general acceptance within the inner councils of television. During the past few weeks, both Paramount and Disney on the Pacific Coast have applied for television transmitter permits.

Paramount, with a large interest in DuMont, is probing a new angle on theatre broadcasts of current events of national interest. Paul Raiburn, an executive assistant to Paramount president Barney Balaban, has been exploring the possibilities of televising a national event into the large theatres of the company's circuit; with the receiving houses having camera setup whereby film could be made of the television

broadcast and the exposed film quickly developed in a compact tank for projection on the theatre screen as soon as the main feature or other attraction is completed. The idea has possibilities, as it would overcome the difficulty of a theatre requiring to stop a feature in the middle in order to directly televise an important happening directly onto the screen. According to information at hand, Paramount's television channel would broadcast the picture via a negative image, so that take-off film in the theatre would be a positive and not require additional step of printing.

Disney, in applying for television stations in Los Angeles, San Francisco and San Diego, figures on a long-range proposition which would eventually hook the trio together via coaxial cable or some other means. The cartoon producer is figuring on production of films for television broadcasts—with both cartoons and live action—and apparently expects the three coast tele stations to become showcases for his product made for television advertisers.

## 20mm. for Theatres

For many years, the large producer-distributor companies have ignored the use of 16 mm. release prints for theatrical showings in both this country and abroad. However, the successful Army and Navy circuits entertaining personnel at and behind the far-flung battlefronts, proved to the film officials that the miniature films held great potentialities for theatrical use, especially to expand distribution in the foreign markets where heretofore many smaller communities did not have the power facilities, or could not support, the regulation 35 mm. size.

Major companies, with Loew's International (Metro-Goldwyn-Mayer) in the lead, are planning immediate availability of 16 mm. prints of entertainment features for widespread expansion of showing abroad—Central and South America, Africa, the Near East, and Asia.

In the United States, the distributors have shied away from making the 16 mm. prints available for release. Basic reason for this attitude is fear that such prints would have to be booked to non-theatrical accounts, with resultant vigorous complaints from the regular exhibitors that competition from the schools, churches, and other locations not classed as theatres, would be detrimental to the regularly-operated show-houses.

But the film companies, recognizing the potentialities of expanding distribu-

(Continued on Page 34)



*Now Available for Immediate Delivery!*

**A Limited Number of**

**WALL**

**35MM SOUND CAMERAS**

**COMPLETE WITH AMPLIFIERS AND POWER SUPPLIES —  
READY TO RECORD SOUND**

*Complete*  
**OUTFIT FOR THE  
COMMERCIAL  
CINEMATOGRAPHER**

*Specially Priced for  
Immediate Sale*

Here's the COMPLETE outfit you've been looking for—waiting for—wishing for! Here's EVERYTHING you need to put you in business for yourself the day you receive it. Everything brand new, ready to go to work for YOU. No essential item is missing from this ALL-IN-ONE outfit, which includes:

**ONE BERNDT-MAURER 16MM CAMERA**

Complete with 3 Lenses (2 Biotars and 1 Sonnar), Matt Box, View Finder, one Synchronous Motor 110-Volt and one 12-Volt Motor, Free-head Mitchell Tripod and additional accessories.

**ONE BERNDT-MAURER MODEL D RECORDER**

Complete with B-M two channel Amplifier, Power Supply (AC), Noise Reduction with AC Built-In Power Supply, 4-Position Mixer, Western Electric Microphone, Boom, 32-Volt Generator, 200-Watt in Case DC-110AC and additional accessories.

**ONE 16MM SOUND MOVIOLA**

Double and Single, complete with Amplifier and Speaker, Film Measuring Guide, 2 Editing Cans, 2 Berndt-Maurer Rewinders.

**LIGHTS**

Four Bardwell-McAllister 2KW Solar Spots complete with Double Extension Stands and Diffusers, 5 Capitol 2KW Solar Spots.

**EXTRA CABLES AND LAMPS**

Remember: There is only this ONE complete outfit available. Many will want it. Wire at once for complete details and price.



Compact — light in weight — easy to handle — incredibly *precise* — the WALL 35MM Sound Camera meets the most exacting requirements of the professional photographer. Comes complete with tripod. ACT PROMPTLY to get one of these outstanding Sound Cameras. The number now available is limited and will go quickly.

**WIRE — PHONE — OR WRITE AIR MAIL TO**  
**ST. GEORGE RECORDING EQUIPMENT CORP.**  
76 Varick St. New York 13, N. Y.



# NO CHERRY BLOSSOMS IN A FACTORY

A Discussion on Photographing  
Educational Motion Pictures

By WALTER WISE


(Editor's Note: Mr. Wise is head of Tradefilms, which has been producing both commercial pictures and training films for the armed services during the past six years. The author was previously with major studios as a writer for eight years; and his experience in the two fields of film production qualifies him to compare the mediums.)

THERE is absolutely no doubt about it. In the next few years educational motion pictures are going to provide an increasing source of income to cameramen. There is also no doubt about another point. They are going to earn every dollar they make.


We all know that even in the theatrical field creative camera work does not always receive the recognition or appreciation which it merits. If a cameraman hears some one gush that "Ermatrude

Schlagenhopper looked positively ravishing," he can interpret that as the ultimate compliment. Because, despite a slight tendency to nymphomania on Ermatrude's part, very few people, considering the world's total population, have had a good look at her before Wheaties time.

On the credit side of the cameraman's ledger as long as he stays inside the studio he has the art department, make-up men, set dressers and all the related



Factory machinery to be used for photographing vocational training films should be either painted or sprayed with gun-metal paint for best results.



Cameras and lights must be adapted within space limitations when shooting factory training films. This illustration, in which the author is rehearsing a machine operator, gives far more latitude for setup than is generally the case.

crafts to help him. He even has the sweater manufacturers on his side for the benefit of audiences who can count up to two. In a pinch he can even call for a potted palm or a branch of cherry blossoms. But there are no cherry blossoms in a factory and sex appeal is not standard equipment on turret lathes or punch presses. Here the cameraman is on his own, without studio resources, often without adequate lighting facilities. All that he can rely on is his experience and his ability.

At first thought this might seem a harsh analysis or a result caused by conditions which need not exist. But before you reach a final conclusion, consider the conditions for yourself.

1. Training films should be photographed at the actual scene of action, even in cases where the equipment to be used is small enough to be set up in a studio. The background, the "feel of the shop," is of major importance in training for any skill.

2. In a factory you will seldom find sufficient clearance around your subject to place the number of lights you would like to use.

3. Low budgets are a constant bugaboo. This is not due to penny pinching on *anybody's* part. The revenue from training films simply does not permit large production costs.



4. And don't let's forget the little things such as camera-shy workers on the demonstration machine, uneven floors, low ceilings, cramped quarters and trying to make yourself heard above the gentle chorus of a battery of drop hammers.

These are general conditions which apply to training films as a whole. But each new educational picture has its own problems. Speaking now solely from

(Continued on Page 32)



**VICTOR STRAIGHT LINE BEAM MEANS BRIGHTER IMAGE ON THE SCREEN**



**THE ANIMATOPHONE  
MASTERPIECE OF 16MM CRAFTSMANSHIP!**

## Perfect 16mm Sound Pictures

**FROM PERFECT PROJECTION**

Brighter projection is achieved on the Animatophone by Victor's direct optical system. All elements permanently aligned at the factory . . . nothing to get out of order.

Spira-draft Lamp House means longer lamp life . . . means brighter image for a longer time . . . means fewer lamp replacements. Standard, pre-focused lamps obtainable anywhere, at no extra cost.



Other exclusive features — for brighter illumination — are: Coated Projection Lens, Conza Condenser Lens, Special Shutter Design and Instant Accessibility to entire optical system for cleaning.



Can you afford to use other than the finest 16mm equipment?



**VICTOR ANIMATOGRAPH CORPORATION**

Home Office and Factory: Davenport, Iowa  
New York (18) McGraw-Hill Bldg., 330 W. 42nd Street  
Chicago (11) 188 W. Randolph

MAKERS OF 16MM EQUIPMENT SINCE 1923



# New Lens For B & H Companion 8 Camera


A new 0.5 inch F2.8 lens for the B&H 8 mm. Companion Camera has been designed for the amateur cine-photographer who doesn't care to be bothered with a light meter and F stops.

In addition to the standard F stops another scale has been added. The stationary ring is calibrated into two divisions, "Winter" and "Summer." The movable ring is divided by three lines marked, "Bright," "Hazy," "Dull." An example of its operation is as follows: If the line marked "Dull" is placed opposite line marked "Winter," the lens diaphragm will be wide open at F2.8. Conversely, if the line marked "Bright" is placed opposite the indentation for

"Summer" the lens diaphragm will be at its smallest opening.

This new lens has been developed to dispel the mystery surrounding F stops that exists in numerous amateur minds. Many people who formerly considered home movie-making an intricate art will be impressed with the simple manner of determining correct diaphragm openings. A glance at the sky, a twist of the wrist, the diaphragm is accurately adjusted!

Another innovation is the faster speed of the new lens. Prior to the war, an F3.5 lens was standard equipment on the Filmo Companion Camera. The new speed, F2.8, represents a great improvement.



Bell & Howell Companion 8 with its calibrations which provide error-proof focusing—even for beginners. F-stop markings are also given for those who prefer the latter.

## National Carbon Establishes Technical Specialist Group

Expansion of the technical service facilities of National Carbon Co. is effected by establishment of a Technical Specialists group for consultation on more effective and efficient use of lighting carbons for studio arcs and theatre projectors.

E. R. Geib will direct overall activities from the company's Cleveland office; with Charles W. Handley concentrating solely on west coast studio lighting problems and practices. His previous other duties for the company have been delegated elsewhere to allow full time and effort in the studio field. P. D. Ries will headquarter in the east to handle both

studio and theatre lighting contacts, while William C. Kunzmann continues as general representative in the national field.

## Moviola Expansion Plans

Mark Serrurier, after a number of years on the staff of California Institute of Technology during which time he was in charge of structural design for the 200-inch telescope to be installed at Mount Palomar and for the cooperative wind tunnel, has formed Moviola Manufacturing Co. Latter firm will be closely associated with the Moviola Company which is headed by his father, Iwan Serrurier.

## Trego Starts Sports Series in 16 mm.

Charles Trego is producing "Surf Board Rhythm," first of series of sports shorts in 16 mm. at Telefilm Studios. Reel depicts intricacies of surf board riding as demonstrated by experts.

## Olesen Co. Handles Commercial Sales on RCA 16 mm. Sound Projectors

Otto K. Olesen Co. of Hollywood has been appointed dealer for commercial sales of RCA's lines of 16 mm. sound projectors. Sales and service departments are being organized by Olesen Co. for the RCA equipment.



## National Carbon Company's Technical Specialists




E. R. GEIB  
Cleveland



C. W. HANDLEY  
Hollywood



P. D. RIES  
East



W. C. KUNZMANN  
National



**THIS CAN BE  
Your  
BUSINESS!**



## *Houston* FILM PROCESSING EQUIPMENT IS THE ANSWER


**T**ODAY'S business operations are being speeded and simplified by the use of microfilm and motion pictures. By offering facilities for fast, local processing of such film, the owner of Houston Film Processing Equipment can build a profitable, permanent business.

Users of film are everywhere. Mercantile establishments, financial institutions, government agencies and others use microfilm for copying and recording. Manufacturers and sales organizations use both 16 mm. and 35 mm. motion pictures for training and sales. Studios and photographic supply stores constantly need film processing.


To these and scores of other users of film the Houston owner offers a *needed* service—a service becoming increasingly necessary to every community. Houston equipment is the *proven* answer.

★ ★ ★

*Houston Film Processing Equipment is designed and built by men who know the needs of this industry. Fully automatic, compact and completely self-contained, these machines require no extra equipment. Write for illustrated folder and prices.*



*Houston Model 11* — Processes 16 mm. negative, positive and reversal film. Processing speeds up to 20 feet per min.



*Houston Model 10* — Processes 35 mm. negative and positive film. Processing speeds up to 2400 feet per hour.

**THE HOUSTON CORPORATION**  
11801 W. OLYMPIC BLVD. • LOS ANGELES 25, CALIF.



# AMONG THE MOVIE CLUBS

## Brooklyn Amateur Cine Club

Charles Ross, president of Brooklyn Amateur Cine Club, is taking up permanent residence in California, resulting in Francis Sinclaire taking over leadership of the organization. Sam Charmatz and Irving Schertzer will assist Sinclaire in program planning.

Highlight of the November 28th meeting was a lecture and demonstration on film splicing by Sinclaire, and film program which included: "Junior Does His Bit," by Martin Sternberg; "Horse and Buggy Days," by Charles Ross; "Russian Easter," by George Serebrykoff; an 8mm. clinic film by Mr. and Mrs. Leibowitz; and an outdoor color subject by Jay T. Fox.

Open discussion of the merits of 8mm. in contrast to 16 mm.—or vice versa—provided basis for a most interesting meeting December 5 at the Hotel Bossett, with program conducted by Herbert Erles. Films presented for the Eights were "World's Fair" by Sam Fass, and "Dear Fred" by Herbert Erles; while the Sixteens were championed by "Hubby Finds a Hobby" by Charles Benjamin, and "Mr. Bug Plays Cupid" by Martin Sternberg.

Frank E. Gunnell delivered informative and instructive talk on "Practical Use of the Various Lenses in Movie Work" at meeting held on Dec. 19th; and several films were also on the program.

## Utah Cine Arts Club

Ted Pope heads Utah Cine Arts Club of Salt Lake City for 1946, as result of recent election which selected other officers as follows: Pete Larson, vice president; Al Londema, treasurer; Lorraine Olson, secretary; and board of director members including George Brignand, Theo Merrill, Ed Madsen, and LeRoy Hansen.

December 12th meeting of the club, in addition to refreshments to celebrate the holiday season, presented a fine program of films. Subjects included: "Perpetual Motion," by Pete Larsen; "Little Co-Ed," by Mrs. Al Morton; "A Man's World," by Mr. and Mrs. LeRoy Hansen; "Shots of Old Mexico," by Ted Pope, and reel of Flowers by Dr. Stromberg of Ogden Movie Club.

Annual banquet will be held at Hotel Newhouse on January 16, at which time program of prize-winning films will be exhibited.

## New York Eight

December meeting of New York Eight Motion Picture Club was held on the 17th at Hotel Pennsylvania, with program including a novelty film by Fred Evans of Hollywood, "Reaping the Raindrops" by Lewis B. Reed and several new subjects of members.

## Westwood Movie Club

December 8th meeting of Westwood Movie Club, San Francisco, was mainly devoted to election of officers for 1946. Nominating committee, with endorsement of the executive committee, presented slate as follows: president, Fred Harvey; vice president, W. C. Johnson; secretary, Leo M. Kerkhof; treasurer, Larry Duggan.

Evening's program of prize winning pictures comprised: "Christmas Well Spent," by J. Allen Thatcher; "My Master and I Go A-Romping," by Donald Day; "The Careless Heiress," by Eric Unmack; "The Water Ouzel," by Rudy Arfsten; "Amphibious Attack," by Andy Colner; and "Hail British Columbia!" by Leo J. Heffernan.

January meeting on the 26th will be a dinner affair at the Del Mar Restaurant for installation of the new officers.

## Syracuse Movie Makers

This progressive organization is now on the hunt for new permanent quarters for move by February 1st, and until other location is found, corresponding secretary D. Lisle Conway advises that all communications should be addressed to Syracuse Movie Makers Association, 44 West Calthrop Ave., Syracuse 5, New York, N. Y. Present clubrooms are being vacated due to raise in rent which is not justified in view of the restricted space and facilities available for the members.

## Cinema Club, San Francisco

E. L. Sargeant has been elected president of the Cinema Club of San Francisco for 1946, succeeding Charles D. Hudson. Other officers selected include: L. J. Duggan, vice president; Rudolph W. Arfston, secretary; Lloyd Littleton, treasurer; and directors at large, Leon Cagne, Dave Redfield, and Hudson.

Special Christmas dinner meeting was staged for the December meeting on the 18th, with fun generated through contribution of novelty gifts not exceeding two bits in cost for Santa's sock and later presentation to the members present. Appropriate holiday pictures were also shown.

## La Casa Club

D. M. Gardner was chairman of the December 17th meeting of La Casa Movie Club of Alhambra, California. Film program of the evening included several 16mm. subjects: "Nativity Scene," by Mrs. R. Gillmann; "A Montana Garden," by Dr. Elsie Schildwachter; "Fiji, Espirtu and Santo," by Lt. Commander J. A. Biren; and "Mexico, 1945," by Guy Nelli.

## Metropolitan

Special Christmas program was presented at the December 20th meeting of Metropolitan Motion Picture Club at Hotel Pennsylvania, with 16mm. kodachrome films shown including: "Mohawk Pals," by Frank E. Gunnell; "Reflections," by Henry E. Hird; and "Snow on the Mountain," by Robert P. Kehoe. J. Christian Vogel recited his own composition, "The Tale of a Christmas Tree."

Supplemental meetings of Metropolitan, devoted to discussions of various techniques of cinematography and practices, are finding growing enthusiasm among the members.

Leo Heffernan won first prize of \$75 in Metropolitan's general contest for his "Land Snakes Alive." Second prize of \$50 went to George Mesaros for "Pointless Foray;" while Sidney Moritz received third prize of \$25 for "Windjammer."

## L.A. Cinema Club

Annual banquet of Los Angeles Cinema Club will be held Monday night, January 7, at the Los Angeles Breakfast Club to get the organization off to a fine start for 1946 activities. Awards will be announced for winners in the film contest, and the prize-winning subjects will be exhibited.

December meeting was held at the Ebell Club on December 3rd, with member Harry C. Chapman presenting the film program with two of his color subjects with sound recordings—"Hawaii Calls," and "Canada Holiday."

## Tri-City Cinema Club

Tri-City Cinema Club of Davenport, Rock Island and Moline, held its sixth annual Christmas banquet Friday, December 14th, at Davenport Chamber of Commerce building, with more than 100 members and friends attending.

Program of the evening included short talks by members on interesting or difficult shots experienced in photography; pictures of the past three banquets; and a 16 mm. Kodachrome subject, "Music," which was composed by Harry Lytle and three departments of the Davenport High School.

January meeting of Tri-City will have "Flowers," by Marvin Russell; and "Autumn and Spring," by Miss Georgia T. First. Symposium on movie films is also on the program.

## Color Experts Check Agfa Plant


Group of American film engineers and technicians are currently in Germany checking all phases of manufacture and processing of Agfa color film. Contingent went abroad under wing of Department of Commerce.



# Good to Know—NOW THAT MOVIE-MAKING TIME IS BACK—

Kodak offers “coast-to-coast”  
processing of Ciné-Kodak Film

NOTE: Every carton of Ciné-Kodak Film contains a listing of Kodak Processing Laboratories, both in the U. S. and abroad, telling you where your Ciné-Kodak Film may be “finished” without additional charge.



**EASTMAN KODAK COMPANY**

ROCHESTER 4, N. Y.

**Kodak**



## Automatic Focus Devices

(Continued from Page 9)

lock type motors to transmit the movement of the dolly to the photographing lens. As can easily be seen, this does not restrict the movement of the camera in any way. The only connection between the receiver motor and lens assembly, and the motor which is activated by the cam and gear assembly, is a flexible cable containing only the motor wires. Hence, it can be seen that the camera may be tilted up or down or panned to right or left without any hindrance whatsoever.

A standard Mitchell camera is used

on the unit, which is equipped with a 50-mm Bausch & Lomb *Baltar*, *f/2.3* lens in a standard Mitchell lens mount. To the lens mount a ring gear was mounted which is meshed with the control gear of the receiver motor assembly. The 50-mm lens can be focused automatically from 50 feet to 18 inches. Within these limits, no matter where the dolly is moved or at what speed it is moved, the lens is always automatically held in sharp focus.

The benefits derived from this unit are numerous. One advantage of its use has been a great saving in both time and labor. Before the unit was in operation it was necessary to use as many as six men to complete a difficult follow shot. In some instances scenes of this nature required a camera operator, and assistant cameraman to change focus, one or two men to push the dolly, a fifth man to call out footage marks usually marked on the floor, and possibly a sixth man to carry the camera motor cable back and forth as the dolly was moved. As mentioned before, the common practice was to photograph the scene many times hoping that at least one of the "takes" all of the technicians connected with the scene had coordinated and synchronized their operations correctly. This, of course, required a great amount of time, an abnormal waste of film, and usually a crew of from four to six men. With the use of the automatic electric dolly most of these disadvantages were eliminated. No matter how difficult the scene, the unit requires the use of only two men—the camera operator and the dolly operator. The only function of the camera operator is to start and stop the camera and to operate the pan and tilt head if this should be necessary. The dolly operator controls the movement of the dolly, and all other necessary operations are performed automatically.

Since the unit has been in use it has been found that there are few occasions where it is necessary to make more than one take of the scene. The saving in film because of this advantage can be recognized at once.

In conjunction with the development of the automatic follow-focus electric camera dolly, a similar device was developed to accomplish the same results on a permanently installed Insert and Title Stand. (See Fig. 4). In many cases it was found to be more convenient to mount certain maps, titles, and other special objects on a title board which was placed in an upright position and attached to a lathe bed. The camera was mounted on a movable pedestal which in turn was mounted on a smooth raceway. This raceway was substituted for the original lathe rack and constructed in such a way as to permit the camera to be moved back and forth on it. When the unit was put into use, approximately the same problems presented themselves as before. It was even more difficult to change focus accurately when moving the camera, for

the shots made with this unit usually required a higher degree of accuracy both in focusing and framing. It was necessary to design the equipment in such a manner so as to allow the 3 inch camera lens to approach the title board or target as close as 12 inches.

Because of the complex nature of certain shots, it was also decided that there would be a distinct advantage in being able to move the title board automatically in either a horizontal or vertical direction. To accomplish these features, the unit was reconstructed in the following manner.

The title board part of the installation is made to move in a horizontal and vertical direction by means of two Bodine speed reducer-type animation motors. One of these motors powers the horizontal movement, the other the vertical. The single frame feature permits small precise moves for straight or animation work. The reversing switches provide directional control. The speed adjustments allow speed control for board movements. Both motors are geared down by 12 to 1 reducer boxes. This smooths out the movements and gives proper basic speed. The follow focus is effected by mounting a contour strip, complementary to the linear movement of a three inch rack type of lens along the side of the lathe bed. A small ball-bearing roller makes contact with this contour. A shaft connects the roller bearing to the shaft of a Diehl-type Selsyn generator motor via reduction gears. The action of the ball bearing as it follows the contour strip activates the generator which electrically transmits identical turns to the receiving Selsyn motor's shaft. On the end of the shaft of this motor, a small gear engages and activates the rack and pinion gear directly attached to the rack lens mount itself.

In the actual practice of cinematography at the Signal Corps Photographic Center, both of these devices have been used with a great deal of satisfaction by the cinematographers who are charged with the responsibility of making these difficult shots. During peak periods of production they have enabled the Camera Branch to complete many different scenes of this type where formerly it was possible to complete only a limited number.

It is felt that this dolly with the automatic focus device could be very successfully utilized in television camera operations because of its remote control and pre-set switch features. Another suggested use for this unit would be in connection with rear projection or process photography where it might be advantageous to dolly the projector in and out during a scene.

The writers wish to express their appreciation to the Pictorial Engineering and Research Laboratory Division and the Central Machine Shop Branch of the Signal Corps Photographic Center for their cooperation and valuable assistance in the design and construction of these devices.

16mm  
and  
35mm

## SERVICES

### To Film Producers

Quality backed by 40  
years in the cinema laboratory and equipment  
field.

- ★ Kodachrome Reproductions
  - ★ Blowups and Reductions!
  - ★ Black and White Films
  - ★ Slide Films
  - ★ Titles
  - ★ Sound Recording
  - ★ Sound Stage
  - ★ Portable Sound Unit
  - ★ Vault Storage Service
  - ★ Projection Service
- Both 16mm. and 35mm.

*All in One Package*

**HOLLYWOOD  
COLORFILM  
CORPORATION**

230 W. Olive Ave., Burbank, Cal.  
Phone CH 8-5554

LABORATORY



# FITTING A FILM TO MUSIC

By HAROLD RAWLINSON

SOONER or later the amateur movie maker will feel the urge to make a serious film. I suppose most of us pass through the same school in gaining our experience. Starting with the family—long-suffering and willing models—we progress to a film about our dog and cat, then on to the holiday record at the seaside, the tour with the car, the local sports, the carnival, and, if we are lucky, a record of some historical event like a jubilee or a coronation.

You have probably added other subjects to your personal library of home-made films. In making these subjects we were working along conventional lines most of the time. The structure of the film is more or less established by the sequence of events, but the treatment and the way we handle the subject can be as varied as the pebbles on the beach. In this article I want to suggest a new angle of approaching the making of a film—at least it will be new to the majority of amateur movie makers.

Today, no serious cine enthusiast would think of showing his silent films without a musical background added by means of gramophone records and amplifier. Even then, with twin turntables and a selection of hundreds of records from which to choose, the result will always be a makeshift. Why not, then, make a film to fit a particular piece of music? By doing this there would be tremendous scope for our imagination, and although Walt Disney has shown us how it can be achieved in an animated cartoon ("Fantasia"), the possibilities in the use of straight photography are endless.

Hundreds of musical compositions would lend themselves easily to filmic treatment—and this need not in any way be injurious to the music. Artistically and sympathetically handled, the music will—in most cases—become more interesting to the majority. A few "purists" might object—but these gentlemen may never see your films, so they will not suffer any sleepless nights. Well, then, what about the choice of subject?

Good music will demand a good film. Do not vulgarize a masterpiece by fitting a frivolous idea. First-class poetry requires first-class music—and we must not cheapen another man's work. Decide on the piece of music you are going to illustrate photographically—then let the subject gradually take shape in your mind, blossoming out into a complete film in perfect sympathy and mood with the music. Choose something good, and aim high. You very soon tire of poor

music. Remember always that the idea which you are going to put in your film must keep to the rhythm of the music. A slowly unfolding idea cannot be set to music which is full of short phrases and melodies; in this case we should want our music to flow on—un-ending.

You need not be a practical musician, and knowledge of musical theory and harmony will not be a necessity, although an advantage. As long as you have an artistic feeling and a sense of

the fitness of things the results should be good. Undoubtedly Walt Disney has been the greatest fitter of films to music—something quite different from fitting music to films. The progress achieved from some of his early Silly Symphonies to the masterly episodes in "Fantasia" is remarkable. Such works as a Beethoven Symphony and Mouskorsky's "A Night on a Bare Mountain" were not cheapened by being the inspiration of Disney's work.

There have been many beautiful ballets arranged to music which was never intended to be used in a choreographic setting. A Symphony by Haydn, a movement from Mendelssohn's Violin Con-

(Continued on Page 29)

## □ □ □ □ □ FONDA □ □ □ □ □ DEVELOPING MACHINES

*With the Driving  
Principle that Cannot  
break your Film*

### FONDA MACHINERY CO., INC.

8460 Santa Monica Boulevard

LOS ANGELES 46, CALIFORNIA

U. S. A.

Cable Address "Fonda"

*"The Machine That Cannot Break Your Film"*

This article appeared in Nov. 16, 1945, issue of "The British Journal of Photography", and is reprinted by permission.



# Using Your Movie Camera As A Motion Picture Step Printer

By JAMES R. OSWALD

Few amateurs are aware that in their own movie camera, whether 8 or 16mm, providing it isn't of the magazine loading type, they have the facilities not only for making copies of cherished movies, but for making prints from negative films, as well. Without any alterations whatsoever to the camera, it is made to serve as a simplified version of a motion picture step printer, by merely following the few, easy steps outlined here.

The process requires that the two films, the original and the unexposed, be run through the mechanism in contact, and exposed to a light source. The loading operation is carried on in the darkroom, where both films are spooled together on the supply reel, emulsion to emulsion, in such a way that, when threaded, the shiny side of the original will be nearest the lens. Threading is done as usual, with the exception that larger loops are left in the original film, to prevent jamming. Before replacing camera cover, run off a few frames, making sure that the sprockets properly engage both thicknesses of film.

Any length scene up to one-half the capacity of the camera may be handled with one threading.

Exposures may be made either indoors or out, although artificial light is preferred, since it is more uniform, and therefore more easily controlled. An ordinary 7½ or 10 watt lamp placed 8 or 10 inches from the camera provides plenty of illumination under average circumstances. There are a number of variables that enter into selecting the proper lens stop to use, such as the density of the original film, speed of the unexposed film, operating speed of the camera, and of course, distance from lamp to lens, and intensity of the lamp, itself, and for this reason it is necessary to determine by actual test the proper setting under the conditions with which you will operate. Once these factors are established, however, if they are permitted to remain constant, no difficulty will arise in trying to duplicate results, especially if some sort of a table is set up to use as a guide. For a starting point upon which to conduct first experiments, select a film of normal density,

and use in connection with a medium lens stop.

Outdoors, the camera may be pointed at the blank sky, or aimed toward a clear white card reflecting the direct rays of the sun. As in the case of artificial light, there are a number of things to be taken into consideration here, too, in determining correct exposure, with the addition of the constantly changing conditions encountered in natural light. All this not as a word of discouragement, but rather to forewarn the enthusiast of the pitfalls to avoid.

As to the most suitable type of film to use, generally speaking, the slower the speed, the better. As a rule, most slow emulsions are finer grained, which is very much desirable in movie films, and since motion picture printing doesn't require extreme sensitivity anyway, are ideal from this angle, to say nothing of the economy standpoint.

Perhaps the most economical of all, and certainly the easiest to handle in the darkroom, is the ordinary "positive" type film, for those who can content themselves with black and white pictures, since it is made expressly for laboratory work, and sells for \$1.00 per hundred feet, in 16mm size, not including developing, however. Developing may be done by any one of a number of independent processing laboratories for an additional charge of approximately \$1.00, since, although the film



(Continued on Page 30)



1. (above) The operation is carried on in the darkroom where both films are spooled together on the supply reel, emulsion to emulsion; in such manner that—when threaded—shiny side of original will be nearest lens. (Dark colored film represents the original; light colored the unexposed stock).

2. (Upper right) Look closely and note difference in loop sizes between the two films. Thread as usual, with exception that larger loops are left in original film, to prevent jamming. Before replacing camera cover, run off few frames to insure sprockets engage both thicknesses of film.

3. (Right) Exposures may be made either indoors or out, although artificial light, more uniform for easier control, is preferred. Ordinary 7½ or 10 watt lamp 8 or 10 inches from camera provides sufficient illumination on average.






# "PROFESSIONAL JUNIOR"\*

FRICITION TYPE

## Removable Head Tripods



Tripod handles all 16mm cameras, including EK Cine Special, Bolex, etc., even when motor driven and with large film magazines.

Knurled knob, easily accessible, fastens any make camera on top-plate.

Rubber-gripped guide handle is removable, fastens under tripod when carried.

Large knurled knob adjusts tilt action tension.

Wing lock for positive setting of tilt head if fixed angle is desired.

Very large trunnion insures super-smooth tilt action with minimum wear.

Tilt head design permits extremely wide arc of high and low tilt action.

Wing lock for adjusting pan movement tension. Also acts as positive lock in any position.

"L" level aids in setting tripod to true horizontal and vertical position.

Tie-down rings permit using tripod on moving platforms such as dollies, auto roofs, etc.

Non-loosening nuts hold legs on base securely.

Maple, long-grained, hand-rubbed, splinter-proof, weather and warp-proofed is used for tripod legs.

Quick-release fluted knobs set between each leg afford positive locking in controlling tripod height adjustments.

Acclaimed the finest for every picture-taking use, "Professional Junior" tripods are compact, versatile, rugged. Super-smooth 360° pan and 80° tilt action; positive, simple, leg-height adjustments; compact and light (weighing 14 lbs.); allowing 72" high and 42" low usability—no finer tripod is made. The inset shows the full tripod mounted on our all-metal Collapsible Triangle which is used to prevent tripod from slipping when used on hard or slippery surfaces.

\*Pat. No. 2318910

Trade Mark Reg.

U. S. Pat. Office

Now available to camera owners and dealers—"Professional Junior" standard and baby tripods, "Hi-Hats," alignment gauges, portable dollies, collapsible triangles, etc. They are used by the U. S. Navy, Army Air Bases, Office of Strategic Services, Signal Corps and other Gov't agencies—also by leading Newsreel companies, 16mm and 35mm motion picture producers.

**Tripod Head Unconditionally Guaranteed 5 Years**

**Write for Details**

Cable: CINEQUIP

Circle 6-5080

**CAMERA EQUIPMENT CO.**

FRANK C. ZUCKER

1600 BROADWAY NEW YORK CITY





Bell & Howell coated lenses reduce reflection, provide improved picture definition.

Now available to all home movie-makers—the new Bell & Howell lens-cleaning fluid, Filmo OPTI-KLEEN. Especially developed for cleaning coated lens surfaces, yet equally efficient on all noncoated surfaces. Ask your B&H dealer for

**FILMO OPTI-KLEEN . . .**

**CLEANS COATED LENSES**

(and noncoated surfaces, too)

For splicing both nitrate and acetate film, B&H laboratories have developed a new combination film cement. Quick-setting, it forms a splice of unusual strength. Does not deteriorate in the bottle. Ask for the new

**Filmo Film Cement**

Order from your B&H dealer or from Bell & Howell Company, 7148 McCormick Road, Chicago 45.



PRECISION-MADE BY



*Bell & Howell*

SINCE 1907 THE LARGEST MANUFACTURER OF PRECISION EQUIPMENT FOR MOTION PICTURE STUDIOS OF HOLLYWOOD AND THE WORLD

## Sixteen Goes Hollywood

(Continued from Page 12)

sixteen at Rockett Productions. These were shot with a Cine-Special to which has been added many Hollywood gadgets, such as automatic dissolve mechanism, Mitchell Finder, Magnified image on ground glass for better composing. The results were very good but we needed four hundred foot magazines at various times. On that job we shot everything including special effects and titles combined with live action, and animation combined with live action, which was accomplished with short lap dissolves giving a very unusual effect. In one sequence a man paints with a dry brush and all the colors of the rainbow flow from it as he paints. Many glass shots combined with live action were used in sixteen color with excellent results.

Sixteen production will undoubtedly grow larger in the major studios in 1946, to supplement their thirty-five standard size. If such films are never released in the United States, many will find eager audiences all over the rest of the world. American documentary and propaganda films should certainly be made that the rest of the world might know us better. In exchange we have a tremendous sixteen consumption of foreign films of commensurate quality, which opens a new field for the American Professional Cinematographer, especially A.S.C. members who are known in all foreign lands

from their credits on the Hollywood product.

Thirty-five films are limited to theaters, whereas sixteen film has a ready market throughout the world. One has only to look in a few of the many magazines devoted to Industrial, Lecture, School, Business and Advertising films to see the opportunities. My earnest hope is that Hollywood goes as thoroughly for sixteen as sixteen is "GOING HOLLYWOOD."

## Gadget Auctions for Added Club Interest

That regular gadget auction of the Cincinnati Camera Club, founded in 1884 to rate as the oldest photographic group in this country, should give officers and program chairmen of amateur cine clubs an idea for incorporation in meeting programs two or three times yearly which can generate plenty of interest among members.

According to an Associated Press story of several weeks ago, the Cincinnati club conducts a gadget auction periodically, with members bringing along discarded or unwanted photographic materials or supplies for bidding by other members. The event has become an integral part of club affairs, and practically every member brings along some piece of photographic material to go on the auction block—and in turn, he picks up something else that he has wanted to try out for a long time.

## NOTES ON SPLICING

By FRANCIS SINCLAIRE

*President, Brooklyn Amateur Cine Club*

The process of joining two films together by using film cement is generally believed to be the gluing or cementing together by the use of an adhesive substance. This is incorrect. The film cement actually softens the acetate base of the film and when joined with the other piece under pressure the result is similar to a weld. A perfectly-made splice should be just as strong as the film itself.

There are two methods of removing the emulsion before applying the cement. One is the dry splice and the other the wet splice. For the dry splice the emulsion is removed with a file-like implement which scrapes off the emulsion. With the wet splice, water is used with a suitable scraper to soften and remove the emulsion. The dry splice is more popular and is considered to be superior. The wet method's chief drawback is that it is likely to buckle the film; also the cement will not soften the base properly if too much moisture is present. With the dry splice, care must be taken to see that the file does not cut too deeply, and that the emulsion is removed evenly.

## Frank Gunnell Wins Maxim Award

Frank E. Gunnell, fellow of the Amateur Cinema League and prominent member of Metropolitan Motion Picture Club of New York, won the Hiram Percy Maxim Memorial Award for 1945. Winning entry was Gunnell's "While the Earth Remaineth."

## New Filmosound Library Features Announced

NORTH STAR (11 reels)

Samuel Goldwyn's first 16mm. release—an epic film of the "little" people of a peaceful Russian village, over-run by ruthless invaders, and the final triumph of right and humanity. (Anne Baxter, Dana Andrews, Walter Huston, Ann Harding. Story by Lillian Hellman, direction by Lewis Milestone).

ALLERGIC TO LOVE (Universal) (7 reels)

Romantic comedy with modern scene that assures countless laughs. Matrimonial and business merger between airplane and motor families periled by comic allergy, finally routed in very funny surprise ending. (Noah Beery, Jr., Martha O'Driscoll, David Bruce). Available from January 21, 1946 for approved non-theatrical audiences.

CATCHING CROCODILES (10 min.)

Methods of trapping and netting crocodiles. Includes both fresh water and salt water species, nests, eggs. (Produced in Australia).



# New Orthicon Television Tube

(Continued from Page 7)

images from interference due to exploding photo flash bulbs and other sudden bursts of brilliant light.

4. Smaller size of tube, facilitating use of telephoto lens.

5. Type of design that lends itself to use in lightweight, portable television camera equipment.

6. Improved gain control system that provides unvarying transmission, despite wide fluctuations of light and shadow.

## How the Tube Works

Resembling a large tubular flashlight in size and appearance, the advanced development model of the Image Orthicon has an overall length of about 15 inches, with the shank about two inches in diameter and the head about 3 inches in diameter and 3 inches long. It has three main parts: An electron image section, which amplifies the photoelectric current; an improved Orthicon-type scanning section, smaller and simpler than those built before the war; and an electron multiplier section, the function of which is to magnify the relatively weak video signals before transmission.

The principle which makes the new tube super-sensitive to low light levels is similar to that which enables RCA's multiplier phototube to measure starlight. This principle, known as secondary electronic emission, involves the use of electrons emitted from a primary source as missiles to bombard a target or a series of targets, known as stages or dynodes, from each of which two or more electrons are emitted for each electron striking it.

Light from the scene being televised is picked up by an optical lens system and focused on the photo-sensitive face of the tube, which emits electrons from each illuminated area in proportion to the intensity of the light striking the area.

Streams of electrons, accelerated by a positive voltage applied to a grid placed directly behind the photo-sensitive face and held on parallel courses by an electromagnetic field, flow from the back of the photo-sensitive face to a target. Secondary emission of electrons from the target, caused by this bombardment, leaves on the target a pattern of varying positive charges which corresponds to the pattern of light from the scene being televised.

The back of the target is scanned by a beam of electrons generated by an electron gun in the base of the tube, but the electrons making up this beam are slowed down so that they will stop just short of the target and turn back until it again approaches a positively charged section.

The returning beam, with picture information imposed upon it by the varying losses of electrons left behind on the target, is directed at the first of a

series of dynodes near the base of the tube; secondary electrons "knocked out" of this electrode by the bombardment strike a second dynode, and this process continues, with the strength of the signal multiplying at each stage until it reaches the signal plate and is carried out of the tube through an external connection.

## Men Who Developed the Image Orthicon

Credit for the tube's development goes to three members of the RCA research staff: Dr. Albert Rose, Dr. Paul K. Weimer, and Dr. Harold B. Law. The project is a continuation of RCA Laboratories' work on the pick-up tube over the past 20 years under the direction of Dr. V. K. Zworykin, associate director of RCA Laboratories. During part of that period, the work was headed by B. J. Thompson, associate director of the laboratories, who was killed in action overseas in July, 1944, while on a special mission for the Secretary of War.

## Your Best Investment— VICTORY BONDS

*During the War—*

**E. M. BERNDT CORP.**

*produced sound - on - film  
recording equipment that  
went to the Armed services.*

**NOW—**

*We hope to furnish the  
same high quality and  
service to our peace-time  
customers.*

Auricon division

**E. M. BERNDT CORP.**

5515 SUNSET • HOLLYWOOD 28, CAL.

**MANUFACTURERS OF SOUND-ON-FILM  
RECORDING EQUIPMENT SINCE 1931**

## FOR LIGHT ON EASTERN PRODUCTION --

**C. ROSS**

**For Lighting Equipment**

As sole distributors East of the Mississippi we carry the full and complete line of latest-type Inkie and H.I.-Arc equipment manufactured by



**MOLE-RICHARDSON, Inc.**

**Hollywood - California**



Your requirements for interior or exterior locations taken care of to the last minute detail anywhere




**MOTOR GENERATOR TRUCKS**

**RENTALS**

**SALES**

**SERVICE**



**CHARLES ROSS, Inc.**

**333 West 52nd St., New York, N. Y.**


**Phones: Circle 6-5470-1**



## Santa Anita Track Contracts Telefilm

Santa Anita racetrack has signed contracts with Telefilm whereby latter will photograph all of the races via the Telefilm control system as originally used last summer at Hollywood Park. Films in 16 mm. size, are shot of every foot of a race from special camera towers spotted around the course and the individual clips are developed and assembled within 10 minutes for photographic viewing of each race by the judges if necessary.

### LATEST 16mm TIME SAVER



#### Telefilm's New

### EDITING REWIND FLANGE

This practical new device, which speeds editing is used and recommended by leading Hollywood 16 mm. editors and producers . . . Sides are of heavy gauge, clear plastic. Engraved footage scale on inside surface indicates amount of film on spool . . . Outer side has specially constructed locking device allowing removal of film by means of a simple lock. Core takes standard lab pack spools, fits a standard 16 or 35 mm. rewind.

Ideal for winding short lengths of film into coils quickly and without endangering emulsion surfaces . . . It is the latest, finest 16 mm. improvement for both professionals and amateurs. May be purchased complete or the face side with spool may be purchased separately. For early delivery place your order now.

### TELEFILM STUDIOS

HOLLYWOOD 16mm. HEADQUARTERS

6039 Hollywood Blvd., Hollywood 28, California

## Current Assignments of A.S.C. Members

As this issue of AMERICAN CINEMATOGRAPHER goes to press, A.S.C. Directors of Photography are assigned to the following feature productions:

#### Columbia Studios

Joseph Walker, "The Al Jolson Story" (Technicolor).

Charles Lawton, Jr., "The Walls Came Down" with Lee Bowman and Marguerite Chapman.

#### Metro-Goldwyn-Mayer

Charles Rosher, "The Yearling" (Technicolor), with Gregory Peck and Jane Wyman.

Les White, "Army Brat" with "Butch" Jenkins.

Ray June, "But Not Goodbye," with Frank Morgan and Keenan Wynn.

Charles Salerno, Jr., "Faithful in My Fashion," with Donna Reed, Tom Drake, Edward Everett Horton, and Spring Byington.

Sid Wagner, "Fiesta" (Technicolor), with Esther Williams and John Carroll.

Hal Rosson, "Three Wise Fools," with Margaret O'Brien, Lionel Barrymore, Lewis Stone, Edward Arnold and Thomas Mitchell.

#### Monogram Studios

Ben Kline, "Joe Palooka, Champ," with Joe Kirkwood, Elyse Knox, Leon Errol, Joe Louis.

William Sickner, "Charlie Chan at Alcatraz," with Sidney Toler.

#### Paramount

Ray Rennahan, "California" (Technicolor), starring Ray Milland, Barbara Stanwyck, Barry Fitzgerald.

Lee Garmes, "The Searching Wind," (Hal Wallis Prod.), with Robert Young, Sylvia Sydney, Ann Richards.

#### RKO Studios

Harry Wild, "Till the End of Time," with Dorothy McGuire, Guy Madison, Bob Mitchum, William Gargan, Harry Von Zell.

Milton Krasner, "Without Reservations" (Jesse Lasky Prod.), starring Claudette Colbert and John Wayne.

Robert De Grasse, "Crack-Up," with Pat O'Brien, Claire Trevor, Herbert Marshall and Wally Ford.

Ted Tetzlaff, "Notorious," starring Cary Grant, Ingrid Bergman.

George Barnes, "Sister Kenny," with Rosalind Russell, Alexander Knox, Dean Jagger.

Frank Redman, "Step By Step," with Lawrence Tierney and Anne Jeffreys.

#### Republic Studios

John Alton, "One Exciting Week," with Al Pearce and Mary Treen.

#### 20th Century-Fox

Ernest Palmer, "Three Little Girls in Blue" (Technicolor), with June Haver, Vivian Blaine, George Montgomery, Frank Latimore.

Harry Jackson, "Strange Triangle," with Signe Hasso, John Sheppard, Anabel Shaw.

Leon Shamroy, "The Shocking Miss Pilgrim" (Technicolor), starring Betty Grable and Dick Haymes.

Arhur Miller, "Anna and the King of Siam," starring Irene Dunne and Rex Harrison, with Linda Darnell and Gale Sondergaard.

Norbert Brodine, "Somewhere in the Night," with John Hodiak, Nancy Guild, Lloyd Nolan, Richard Conte.

Joe MacDonald, "The Dark Corner," with Lucille Ball, William Bendix, Mark Stevens, Clifton Webb.

Joseph La Shelle, "Cluny Brown," with Charles Boyer, Jennifer Jones, Helen Walker, Sir Aubrey Smith.

#### United Artists

Bob Pittack, "The Sin of Harold Diddlebock," with Harold Lloyd, Frances Ramsden, Raymond Walburn, Rudy Vallee, Edgar Kennedy.

Lucion Andriot, "The Strange Woman," with Hedy Lamarr, George Sanders, Louis Hayward, Gene Lockhart.

#### Universal

Joseph Valentine, "Genius in the Family" (Skirball-Manning Prod.), starring Myrna Loy, Don Ameche.

Woody Bredell, "Notorious Gentleman," with Kent Taylor and Virginia Grey.

#### Warner Brothers

Sol Polito, "Escape Me Never," starring Errol Flynn and Ida Lupino.

Wesley Anderson, "The Beast With Five Fingers," with Robert Alda, Andrea King, Peter Lorre, J. Carroll Naish.

Arthur Edson, "Two Guys From Milwaukee," with Dennis Morgan, Jack Carson, Joan Leslie, S. Z. Sakall.

Ernest Haller, "Humoresque," starring Joan Crawford and John Garfield; with Oscar Levant, Ruth Nelson.



## EVERYTHING PHOTOGRAPHIC AND CINEMATIC

### FOR PROFESSIONAL AND AMATEUR

The World's Largest Variety of Cameras and Projectors. Studio and Laboratory Equipment with Latest Improvements as Used in the Hollywood Studios. New and Used. BARGAINS.

### Hollywood Camera Exchange

1600 CAHUENGA BOULEVARD  
HO 3651 Hollywood, California Cable Hocamex



## Exclusive

On the East Coast

Hi-Fidelity—Light Valve Variable Density

Direct 16mm. Recording

Save Reduction Print Costs

Sync Recording on Location

## LEWIS SOUND FILMS

New York 19, N. Y.



## Fitting Film to Music

(Continued from Page 23)

certo, a Sonata by Liszt, a Symphony by Tchaikowsky, are just a few of the many which come to mind.

There is no reason at all why we should not take a piece of music and build up a photographic picture or story upon its framework.

Here are some practical suggestions which can be taken as some indication of the possibilities of making a film to fit a record.

### Sibelius. Prelude to "The Tempest"

A wonderful piece of pictorial writing. An abstract film fitted to this would be a joy to make.

(Shots: Wind swept trees, bending grasses and scattering leaves, falling branches, swirling smoke. The music paints the picture of a fierce gale, but just before the close of the music the tempest subsides and there is a most moving picture in tones of the desolation which is left in the wake of the storm. The camera could easily show the pathos of a fallen tree, the limb of an old oak torn from its body by the force of the wind, the heaped-up pile of leaves, the damaged gate, and so on.)

In a simple way a most moving film could be created to this Sibelius Prelude.

### Bach. Prelude in E flat Minor (Vol. 1, No. 8)

This is such a noble piece of music that only the most inspiring subject could be linked with it. A photographic study of a great cathedral—the camera to tell the story as our own eyes would silently take in the beauties of the glorious pile. (Do not use any sub-titles during the Prelude.)

### Honegger. "Pacific 231"

A picture in sound of an American stream-liner. What a magnificent opportunity for someone to add a musical picture to this most stirring rhythmic piece of music.

### Delius. Summer Night on a River

A most delicate poem in music. Would want very careful treatment; but the camera used imaginatively could produce a delightful film.

### Delibes. Scarf Dance

If you know the mistress of a ballet school or dancing class, suggest that you film the students. See that the dance (either the one mentioned above or any other number) is always performed to the gramophone record you are going to use. The timing will then always be the same. (No two performances in the flesh are ever alike.) Take a number of angle shots and enjoy many hours cutting and editing your film.

### Gounod. Funeral of a Marionette

Have any of your friends got a puppet theatre—or do you know of a local puppet theatre club? If so, there is plenty of scope for your camera.

### Saint-Saens. Scherzo from Piano Concerto No. 2

An intriguing number which suggests a number of impish subjects.

### Liadov. Enchanted Lake

I have visualized a film for this musical gem—but it would be very difficult to do without much time and many disappointments.

### Additional Musical Ideas

Here are a few subjects for which appropriate music could easily be found.

The bustle of a rush hour in a town.

The Saturday market.

The movement of water.

The village.

Trees.

Sunday morning in the park.

Water numphs.

### Tempo Picture to the Music

Your film will have to have the same form, balance and climax as the music, and nothing will be more intriguing than figuring this out. The possibilities are, of course, endless.

Having decided on the piece of music which you are going to photographically illustrate, play the record through many times. Get the music right under your skin. Then analyze the music mentally; notice how it changes its time, mood and color. Possibly the music will be in one characteristic mood throughout. You will have to get this into your picture—perhaps this would be better described as "atmosphere." If it is a 12-inch record it will probably play for 3½ to four minutes, so get together a hundred feet of 16 mm. film (50 ft. of 8 mm.) of any of your odd shots joined together. (Every worker will soon have plenty of thrown-out footage which can be joined together in any odd way.) Then play the record through while showing your 100 ft. of miscellaneous shots. Make a first rough note as to where the music changes to a different rhythm or to a different melody (all music is built up in some sort of order. Themes are re-

peated and contrasting themes added.) All this should be noted on a chart as a record of the footage. Then, from the scenes jotted down, it will be simple to measure the amount of feet or number of frames required for a particular scene. This is a much better method than timing the scene with a watch—because as you look on the screen you can easily make a mental note of the change. Jotting down the times on a piece of paper as you look at a watch is a difficult job.

Finally, see that you have nice titles. Acknowledge the composer of the music in a subtitle. Explain as much as you can at the beginning. Subtitles in the course of the film will interrupt the flow of the music. Do not start the music until all the titles have been shown. After a little practice at timing the film, you will know just when to gently push the needle (a fibre one!) into the first groove.

(EDITOR'S NOTE: Those who use music for synchronization with a film are cautioned against any public performances of copyrighted musical compositions. According to a representative of American Society of Composers, Authors and Publishers—which controls the licensing for public performance of most popular and classical compositions—numbers on records can be played in conjunction with film in homes or before private groups without incurring copyright violations. However, ASCAP takes the position that any performance of a record for an audience where admission is either direct or indirect, comes under its regulations for licensing. Even reproduction before a movie club comes under copyright performance regulations, according to ASCAP, in that members pay annual dues which are claimed as indirect admissions for showings.)



ORIGINATORS & IMPROVERS OF PORTABLE MOTION PICTURE EQUIPMENT...SINCE 1913

### The 3-Purpose Projector

Built like a fine watch—powered by a steady smooth-running motor and mechanism that purrs through reel after reel without a flutter or a jump—so simple, a 12-year-old can operate it—that's the new DeVRY 16mm. Sound-On-Film Projector. The new DeVRY is a 3-purpose unit:

- (1) That SAFELY projects both sound and silent films;
- (2) that shows BOTH black-and-white and color films without extra equipment; and
- (3) whose separately housed 25 watt amplifier and sturdy 12-inch electro-dynamic speaker afford portable Public Address facilities—indoors and out.

Shoot your movies with a DeVRY 35mm. or 16mm. camera—the camera preferred by cinematographers for their personal use.



1111 Armitage, Chicago 14



# Best Investment— VICTORY BONDS

## BLUE SEAL

*Announces*  
A Complete New Line Of  
Sound Equipment

- Film Recorders 16 and 35 mm
- Variable Area Galvanometers
- Recording Amplifiers
- Re-Recorders
- Equalizers
- Camera Motors
- Selsyn Interlock Systems

*Special Equipment Built  
on Order*

J. Burgi Contner Louis R. Morse

**BLUE SEAL**  
Cine Devices, Inc.

137-74 Northern Blvd.  
Flushing, L. I., N. Y.

Cable Address—SOUNDFILM

## Camera as Step Printer

(Continued from Page 24)

is put out by all standard manufacturers, such as Eastman, Ansco, and DuPont, none of these manufacturers undertake to process this particular type film.

Color film should not be attempted to be used until satisfactory results with black and white have been attained. To do so is a costly proposition. Black and white, on the other hand, is not only less expensive, and easier to use, but in these troublesome times, is less scarce than Kodachrome, or the newly introduced Ansco color film. (A plentiful supply of "positive" film will be found almost constantly on dealers' shelves, since it is little in demand by the amateur movie maker.)

Limiting oneself to the use of black and white film doesn't mean that a

(Left) The supreme test . . . duplication of a Kodachrome original . . . in Kodachrome. These are actual frame enlargements from a Kodachrome duplicate, printed in the camera.

Kodachrome original cannot be used. Naturally if a person is fortunate enough to "snag" a roll of the precious color film, it is much to be preferred over black and white stock, for use with a Kodachrome original, however.

It goes without saying that the utmost precautions must be taken in the darkroom, for therein lies much of the success or failure of the entire venture. Darkroom illumination must be in accordance with the speed of the unexposed film, ranging from the familiar red lamp for use with "positive" film, to total darkness in spooling Kodachrome. For something different in your field of endeavors, though, try using your movie camera as a motion picture step printer!

### MOVIOLA


FILM EDITING EQUIPMENT

Used in Every Major Studio  
Illustrated Literature on Request

Manufactured by

MOVIOLA MANUFACTURING CO.  
Moviola Division

1451 Gordon Street Hollywood 28, Calif.



## RENTALS SALES SERVICE

**MITCHELL**

Standard, Silenced, N. C.,  
Hi-Speed, Process, and  
Eyemo Cameras.

(USED)

**BELL & HOWELL**

(USED)

Fearless Blimps and Panoram Dollys—Synchronizers—Moviolas  
35mm Double System Recording Equipment

WE SPECIALIZE in REPAIR WORK on MITCHELL and BELL & HOWELL CAMERAS



FRANK-ZUCKER CABLE ADDRESS: CINEQUIP  
**CAMERA EQUIPMENT CO.**  
1600 BROADWAY N.Y.C. CIRCLE 6-5080



## Aces of the Camera

(Continued from Page 10)

director that caused him to learn so quickly and forge ahead so rapidly. While deMille was looking through the finder, Pev would sit on a little box under the camera. From that position he got the director's perspective, and hence learned to anticipate what deMille wanted, and did what was required of him. In three and a half years, Marley rose from the lowly rank of roustabout to deMille's first cameraman, the youngest first cameraman in the business.

He will never forget his first job after that promotion, or the tension under which he worked. The picture was "Feet of Clay," and there were eight cameras on the job, over 600 extras were working, and the harbor was full of yachts. That was his first scene!

As to the toughest job he ever had to tackle for the screen, Pev thinks that easily goes to the crucifixion scene for "The King of Kings." The set, the largest ever constructed, has since been converted into three good-sized stages. Everyone on the set was nervous, and perhaps a little awed by the magnitude of the scene they were shooting, and what it represented. It was not a job to be undertaken casually, or performed haphazardly. "The King of Kings" was the greatest film ever undertaken, and the crucifixion scene perhaps the most difficult assignment ever handed to any cameraman. Psychologically, as well as technically, it was a tremendous challenge.

The problems were many and varied. H. B. Warner, as The Christ, was held to the cross in a manner which became quite painful after a very short time, and so shooting could only be done a few minutes at a time. Then, there was the difficult job of transition from day exterior to night storm. Keyed to each bit of action, the sky had to change from light sunshine through gathering gloom to heavy storm. Over a period of two weeks' shooting, this gradual change in the lighting took place. The finale, when the storm was at its peak, included high winds and lightning. The wind machines fulfilled their role in simulating the proper awe-inspiring atmosphere, but they stirred up dust. And that dust in the air picked up light. But finally, all of those technical hurdles were mastered, and with the help of a switchboard that he had rigged up, plus an elaborate series of hand and foot gestures he had worked out, Marley was able to get the effects he wanted. To say that they were satisfactory, is an understatement.

With the advent of sound, all cameramen found themselves up against new obstacles. Marley was no exception, and it was he who first used a camera blimp to encase the camera and deaden its noise. That was for the picture "Dynamite."

After making that film, Marley went east for a vacation. But instead of re-

turning to Hollywood after a couple of weeks, as he planned, he found himself taking a fling at the stage, by a curious fluke. As a kid he had won 22 dancing trophies, and when he received an offer to headline in vaudeville, the novelty appealed to him and he accepted it. But after a few months, the life of a theatrical performer palled on him, and he headed back for Hollywood, and his own profession.

After free-lancing for awhile, he accepted an offer to work in Paris. He made two pictures there, and two in Budapest, staying in Europe for a year. Marley found the European studios many years behind us, technically, and he introduced many new methods of camera technique, and effected quite a few changes in the laboratory work. He was also the first man to introduce process photography in Europe. Budapest delighted him, he would have stayed longer, but his father was taken suddenly ill and he returned to this country.

After his return, Marley's first job was "The House of Rothschild," for Darryl Zanuck at United Artists. Then, under contract, he went with Zanuck to 20th Century Fox where he worked on such pictures as "In Old Chicago," "Alexander's Ragtime Band," and several others. He also made a screen test for a talented newcomer at that studio, and filmed three of her first pictures. He thought then, and he still thinks, that she as the most beautiful girl he has ever photographed. He didn't marry her though, until after he was in the Army. It was in April 1943, that Linda Darnell became Mrs. Pev Marley.

Not only is she the most beautiful girl in pictures, according to Marley, but she's also a darned good amateur photographer. Better, in fact, than he is. Why? Because he's a professional perfectionist, and for that reason can't relax and take an ordinary, casual snapshot.

Pev's hobbies are fishing, dancing, golf, and swimming. And while he was in the service with the Army Air Force Photographic Unit, he did a lot of flying, and now flying is his latest hobby. Pev enlisted in the army three months before he was classified, and was in about one year. Out of the service, he finished his 20th Century-Fox contract; then moved over to Warner Brothers, where he's made four pictures in rapid succession.

In "Pride of the Marines," there's a scene he's rather proud of, for it combines film shot under three decidedly different conditions, and at different times. Yet it could pass for the same work. Part of the film was actual combat footage taken on Guadalcanal, some of it was shot outdoors on a foggy morning, and the rest was shot indoors on a sound stage.

Pev is happy in his work, and says he would probably make the same choice of a career, if he had it to do over again. He could never be satisfied with a "debit and credit" type of job—his description

of monotonous or routine work. This business may offer headaches, and plenty of problems, but it isn't boring, is his opinion. Photography is variable every hour, and the business produces as versatile a group of people as you'd be likely to find anywhere, he believes.

A good cameraman draws from his past experiences, his artistic ability, his common sense, with a dash of psychology added, and all of it topped off with a sense of humor, is his way of looking at it.

And work? Well, "They are always working on a motion picture set," he says. "When not actually shooting, they are lining up for the next scene. And who are 'they'? Why, the cameramen, of course. Actors and directors get a respite now and then; even grips and electricians get a breather. But the cameraman—never. For 'they' are always busy! But they probably wouldn't change places—even if they could—for any other job in the business."

### Paramount Stages 16 mm. Premiere of "Duffy's Tavern" in Chicago

Paramount staged a special premiere of "Duffy's Tavern" in Chicago recently for members of the press and radio at—of all places—Duffy's Tavern in the Windy City. Showing was an exploitation stunt for the picture; but more important, marked the first time that a studio feature had been premiered in 16 mm. form. Pair of Bell & Howell Filmosound 179 projectors were utilized for the performance.

### Craig Western Distributor for Professional Junior Tripod

Craig Movie Supply Company of Los Angeles has been appointed western distributor for the Professional Junior tripod with removable head. Arrangement was made with Frank Zucker of Camera Equipment Co., New York.

## RUBY CAMERA EXCHANGE

*Rents . . . Sells . . . Exchanges*

Everything You Need for the  
**PRODUCTION & PROJECTION**  
of Motion Pictures Provided  
by a Veteran Organization  
of Specialists

35 mm. . . . . 16 mm.

IN BUSINESS SINCE 1910

729 Seventh Ave., New York City  
Cable Address: RUBYCAME



# Your Best Investment— VICTORY BONDS

## A MESSAGE

FROM


*Goerz American*

Now that peace has finally come to the world, we, like many other manufacturers, are occupied with plans of replenishing our war-depleted stock of lenses suitable for professional and amateur photography.

Because of the great many types and such a large number of focal lengths of each type, which will doubtless be in demand, the build-up of our stock will naturally take time.

Fortunately we are not facing any reconversion problems, because during the war years we were exclusively engaged in producing photo-lenses for our Government.

In the near future there will be announcements in the various photographic magazines regarding our progress in making available again through photo-supply stores



Director George Marshall rehearses Bob Hope and Joan Caulfield in a stair-walking scene for "Monsieur Beaucaire" at Paramount. For making the shot, camera and sound mike will follow the players up the stairs via movement of camera crane. Lionel A. Lindon, A.S.C., is director of photography on the production.

## "GOERZ AMERICAN" PRECISION PHOTO LENSES

We wish to take this occasion to thank those, who have wanted to buy our lenses during the past war years, for their interest shown in our product.

Every effort will be made to enable them to obtain our lenses soon in the photographic market.

## The C. P. GOERZ AMERICAN

OPTICAL COMPANY

OFFICE AND FACTORY

317 East 34th St., New York 16, N. Y.

A.C. I

## Factory Filming

(Continued from Page 16)

my own experience and observation, the only cameraman I have seen do bang-up jobs were those who had the moral courage to subdue their own creative urge and *adapt* their ability to the problems at hand. Why? Because beautiful pictures alone do not constitute a well-photographed training film.

The film must be subjective, not objective. In other words, the audience should be participants and not merely spectators. To achieve this, good composition must, if necessary, be thrown out the window. If one angle will permit better lighting and another a better participating point of view the conscientious cameraman has no choice. He must be willing to leave his own work open to criticism (by those who don't

know) so as to achieve the main objective.

A demand frequently heard by educational cameramen is, "get the worker's point of view." This sounds easy enough. Place the camera at about the average man's height and have the machine's operator cheat a little to one side or the other. But rarely does this give the expected result. The reason is that the camera's single eye is stationary whereas the two eyes of the worker are constantly changing position and focus, even though his head, to all appearances, remains stationary. Actually the head is moving constantly in a series of almost imperceptible pans.

Yet I have seen cameraman Jockey Feindel get shots which solved this problem. He carefully figured out the angle which the audience would recognize as the worker's point of view and set up his camera accordingly. I was directing that opus and squawked loud and long when I saw where he put the camera. But Jockey squawked louder and longer and the results proved that it was fortunate he did so.

On another film, Floyd Crosby, A.S.C., was asked if he could get a "nice, easy long shot" of Lockheed's P-38 assembly line. He looked at his two seniors, four juniors, three "broads" and three baby spots. He muttered a number of things but all that was audible was a very definite "No!" There ensued a one-sided discussion between Floyd and our customer's representative. We've all heard similar discussions, so you won't be surprised that it ended with Floyd making

## CAMERA SUPPLY COMPANY

ART REEVES

1515 North Cahuenga Boulevard

HOLLYWOOD

Cable Address—Cameras

CALIFORNIA

Efficient-Courteous Service

New and Used Equipment

Bought—Sold—Rented

Everything Photographic

Professional and Amateur

*An unusually fine variety of basic photo chemicals always in stock.*





**I want to buy your**

- Contax
- Leica
- Graphic or
- Miniature
- Camera

Send it in . . . merchandise returned postpaid if not entirely satisfied.

**Bass Camera Co.**  
179 W. MADISON ST.,  
CHICAGO 2, ILL.

## THE CAMERA MART FOR YOUR PRODUCTION NEEDS

16MM. — 35MM.

CAMERAS PROJECTORS  
ALL ACCESSORIES

**WE BUY—TRADE—SELL**

70 WEST 45TH STREET  
NEW YORK CITY, NEW YORK

**Cable Address: Cameramart**

## Add SOUND TO YOUR SILENT FILMS

(Music • Narration • Special Effects)

LET us convert your 16 mm picture to a sound film of the highest quality. Skilled technical staff, and finest sound recording equipment and studio facilities to serve industrial, amateur and educational film producers. Write TELEFILM, Inc., Dept. 6039 Hollywood Blvd., Hollywood 28, Calif. for prices and literature.

**OUR SERVICE IS USED BY:**

• AirResearch Mfg. Co.	• Lockheed Aircraft Corp.
• Douglas Aircraft Co.	• Food Machinery Corp.
• U. S. Naval Photo Services Dept.	• Santa Fe Railroad
	• Standard Oil Co. of Calif.

**TELEFILM  
HOLLYWOOD**

the shot while his face went all the colors of the spectrum and a few Dr. Kalmus never heard of. The next day we saw the shot in the rushes. It was beautiful. I never figured out how Floyd did it. I am not too convinced that he knows himself.

It is my conviction that in spite of conditions and obstacles, educational films can be photographically beautiful as well as functional. During production the cameraman is the key man. I have a few suggestions which may make it a bit easier for him to fulfill that role:

1. Together with the script writer, director and gaffer, watch the operation you are going to shoot and become familiar with the job you are going to teach via the screen.

2. Determine the amount of lights you will need, remembering that the producer is probably on a short budget. If he is a legitimate producer he won't mind telling you just how much money he has to work with.

3. Read the script and let the writer clarify any points you do not fully grasp.

4. Together with the director, work out complete story sketches for the job. It doesn't matter how rough these sketches are. The main thing is to make them for the whole picture at once and not just for a day's shooting.

5. Where conditions permit plan for dolly shots so as to come up close on details of an operation without having to cut from the medium or full establishing shot.


6. Do your diplomatic best to have the factory, or anybody, paint the subject machines. Battleship gray seems the most popular color for best photographic results.

7. If you are working with metal be sure there is plenty of wax on hand to eliminate reflection and halation. Also be certain that the demonstrating worker has plenty of sample pieces to put through his machine during the filming for the several takes which may be necessary. While neither of these points is generally conceded to be the cameraman's responsibility, I think that when shooting begins you'll be mighty glad you checked up on them.

I am only repeating old stuff when I say that educational pictures are going to play an increasingly important part in our national life. They are a challenge to the cameraman's ability. The work is poor in glamor and rich in headaches. But I earnestly believe that any man who has shot a *good* educational can look in his mirror and say, "Well, prune puss, I guess we are a cameraman after all."

**8 Enlarged TO 16 Reduced TO 8**

**Geo. W. Colburn Laboratory**  
Special Motion Picture Printing  
995 MERCHANDISE MART  
CHICAGO



## LENSES for Today and the Future

B&H-THC Ciné Lenses are not merely ideally corrected for today's monochrome and color work; their design anticipates the possibility of future improvements in film emulsions. Thus they are long-time investments. Write for details.

### BELL & HOWELL COMPANY

Exclusive world distributors

1848 Larchmont Avenue, Chicago

New York: 30 Rockefeller Plaza

Hollywood: 716 N. La Brea Ave.

Washington, D. C.: 1221 G St., N. W.


London: 13-14 Great Castle St.

**BUY VICTORY BONDS**

## ANNOUNCEMENT

Radio Corporation of America announces the appointment of the Otto K. Olesen Company of 1560 N. Vine St., Hollywood, California, as dealer for Commercial Sales of the RCA 16 mm sound projectors.

A new standard in sound reproduction. Professional projection with 16 mm film. Local sales and service organization.



Address all inquiries regarding available models to:  
Sound Projection Division—

**OTTO K. OLESEN, COMPANY**

1560 N. Vine St., Hollywood 28, Calif., GL-5194

**DELIVERIES NOW BEING MADE**



## Review of News

(Continued from Page 14)

tion of features in smaller towns and locations that cannot support the original investment and overhead required for a 35 mm. operation, are currently probing the possibilities of utilizing the economical advantages of 16 mm. size, but still taking measures to prevent projection of the minnie prints on the present 16 mm. machines in private hands.

Best progress has been made on suggestion to use a 20 mm. size printstock—with the same frame size as the present 16 mm., but with the added 4 mm. comprising sprocket holes on other side opposite present ones, to provide double sprocket movement for projectors which would be made by the manufacturers and sold only to regulation theatres that are expected to be opened for operation under the more economical conditions.

The 20 mm. standard proposal is far advanced both in New York and Hollywood. Head offices of the major companies have technical representatives conferring on the matter, while the Academy Research Council in Hollywood is giving the idea a thorough going-over through several of its committees. If the green light is given to the new standard for smaller theatres, many months will elapse before prints will be available. Projection equipment manufacturers will have to tool up for the new professional equipment; laboratories will have to set up developing apparatus for processing the 20 mm. size; and then the 20 mm. prints will be available for the smaller theatres when sufficient number of the latter are ready for operation to justify making quantities of the prints.

## BUY VICTORY BONDS

*Sound Services, Inc.*

1021 Seward St.  
Hollywood 38, Calif.

COMPLETE  
SOUND SERVICE  
FOR THE  
INDEPENDENT  
PRODUCER  
35 MM.—16 MM.

*Western Electric*  
RECORDING

# Classified Advertising

## FOR SALE

WE BUY, SELL AND RENT PROFESSIONAL AND 16mm EQUIPMENT, NEW AND USED. WE ARE DISTRIBUTORS FOR ALL LEADING MANUFACTURERS. RUBY CAMERA EXCHANGE, 729 Seventh Ave., New York City. Established since 1910.

BELL & HOWELL PROFESSIONAL PRODUCTION outfit, consisting silenced Single System Camera, 2 viewfinders, tripod, 3 lenses, blimp, Double System Recorder, 6-BH magazines, 3 motors, microphone, amplifiers, etc., complete, \$3,950.00; Akeley Newsreel Camera with 5 magazines, Gyro tripod, 2 lenses, motor, \$995.00; DeBrie metal camera, 3 lenses, 6 magazines, \$350.00; Quartz slits, \$39.50; RCA Galvanometer complete, \$650.00; with noise reduction, \$800.00. Send for Catalog. S. O. S. CINEMA SUPPLY CORPORATION, NEW YORK 18.

BRAND NEW, LATEST STYLE, 16mm. sound projector, factory guaranteed; also one slightly used, cheap. Box 875, Reading, Pa.

FOR SALE: S.M.P.E. Transactions and Journal. Complete from 1925 to date. Cost over \$300.00. Best Offer. Box 1028, AMERICAN CINEMATOGRAPHER.

ARRIFLEX — AKELEY — DEBRIE — EYEMO — DEVRY 35 mm. cameras, complete with all accessories. Bolex—Filmo—Cine Kodak 16mm. cameras. Silent — Sound Projectors — lights — splicers — reels — rewinds — large and small — measuring machines—film and disc recorders—16mm. and professional tripods. Send for circular on Camart tripod. Camera Mart, 70 West 45th Street, New York.

BERNDT-MAUER MODEL "D" RECORDER complete with amplifier and AGN amplifier and necessary cords—\$2,000 cash. The Calvin Company, 1105 E. 15th St., Kansas City 6, Mo.

COMPLETE FILE OF THE AMERICAN CINEMATOGRAPHER from August 1932 to December 1944 inclusive. File through 1939 bound in black leather-backed cloth, gold lettering. Last five years not bound. Valued at \$100.00. Write best offer. Box 1029, AMERICAN CINEMATOGRAPHER.

COMPLETE 35mm. sound on film, portable, single system camera, with 4 lens turret, wide angle F.3:5; 50mm. F.1:5; 4 inch Telephoto F.4:5 and F.1:5 copying lens for titles. 1,000 foot magazines. Three element Glow lamp recording, 110V. 60 cycle AC operated. \$4,000.00 cash. John W. Warner, Plaza Theatre, P.O. Box 409, Greenville, N.C.

SINGLE LENS EYEMO. GOOD CONDITION, \$125.00. C. W. HERBERT, ROUTE SIX, BOX 511, TUCSON, ARIZONA.

## MISCELLANEOUS

ALEXANDER LENARD, Turbo, Kenya Colony. Organization and conduct of photographic and film expeditions to all parts of Africa. Tourists met on East and West Coasts of Africa and accompanied by Travel experts. Unusual itineraries. Expert leadership. Write or cable LENARD, TURBO, KENYA COLONY.

HOME MOVIE FANS, JOIN MOTION PICTURE Educational Society. Free valuable information. Box 875, Reading, Pa.

WANTED to hear from parties interested in forming producing unit of high grade 16mm entertainment shorts. Need capital, technicians. Or from established concern with studio, lab, and releasing facilities. If only curious, don't waste postage. Louis Ell Lovenburg, Box 543, Ogallala, Nebraska.

## WANTED

WANTED TO BUY FOR CASH

CAMERAS AND ACCESSORIES

MITCHELL B & H EYEMO DEBRIE AKELEY  
ALSO LABORATORY AND CUTTING ROOM  
EQUIPMENT

CAMERA EQUIPMENT COMPANY

1600 BROADWAY, NEW YORK CITY 19

CABLE: CINEQUIP

WE PAY CASH FOR EVERYTHING PHOTOGRAPHIC. Write us today. Hollywood Camera Exchange. 1600 Cahuenga Blvd., Hollywood.

LABORATORY, STUDIO OR RECORDING EQUIPMENT, SOUND PROJECTORS, CAMERAS, TRIPODS. PAY HIGHEST PRICES. S. O. S. CINEMA SUPPLY CORPORATION, NEW YORK 18.

WANTED: JUNE 1940 issue of JOURNAL of S.M.P.E. to complete set. Can anyone help me? L. Duncan, MoMM2/c, U.S. Coast Guard Base, Wilmington, California.

BUY  
MORE  
BONDS!



# Eastman Films


A TYPE FOR  
EVERY PURPOSE



**Predominant favorites of  
the motion picture industry  
for more than fifty years**

**EASTMAN KODAK COMPANY  
ROCHESTER 4, N. Y.**


**J. E. BRULATOUR, INC., DISTRIBUTORS  
FORT LEE CHICAGO HOLLYWOOD**





*Your New Companion for Happy Days Ahead*

# Filmo Companion 8




**I**MPROVED and refined, as are all Bell & Howell Filmos, the 8mm Companion is more than ever the ideal personal camera for making fine movies at low cost.

Bright-Hazy-Dull markings on coated\* lens make setting quick, easy. Standard calibrations are also on lens for those who prefer F-stop settings. Other features include manual footage dial, four operating speeds, built-in exposure guide, adjustable viewfinder masks for extra lenses, and handsome brown finish.

Companion action shots have real theater quality—in full color or in sparkling black-and-white. You just sight, press a button, and *what you see, you get.*

See the new Filmo Companion 8 at your B&H dealer's today.



**\*NEW COATED LENS**, 1/2-inch F 2.8, for more light, greater speed, better definition. Use either Bright-Hazy-Dull or standard calibrations; interchange instantly with your choice of many special-purpose lenses.

**BUILT-IN EXPOSURE GUIDE** is easy to use, gives direct readings for color movies, covers every outdoor subject and lighting condition.

## How to Complete Your Home Movie Shows

Fill out your programs with films from the B&H Filmosound Library. Choose from thousands—late Hollywood hits, travelogs, sports, cartoons, newsreels,

educational subjects. Send coupon for complete information. Bell & Howell Company, Chicago; New York; Hollywood; Washington, D. C.; London.

OPTI-ONICS—products combining the sciences of OPTics • electrONics • mechanICS

PRECISION-MADE BY



# Bell & Howell

BELL & HOWELL COMPANY  
7148 McCormick Road, Chicago 45

Please send information on ( ) Filmo Companion 8; ( ) Filmo 8mm Projectors; ( ) Filmo 16mm Cameras; ( ) Filmo 16mm Projectors; ( ) Filmosound; ( ) Filmosound Library.

Name .....

Address .....

City ..... State .....

AC 1-46